

SAFETY DATA SHEET

info@deffner-johann.de | +49 9723 9350-0

Die in diesem Produktdatenblatt genannten Spezifikationen dienen nur zur Produktbeschreibung und beziehen sich auf den Zeitpunkt unmittelbar nach der Produktion bzw. Import des Produktes. Sie entsprechen den Angaben des Herstellers. Eine rechtsverbindliche Zusicherung bestimmter Eigenschaften oder der Eignung für einen bestimmten Einsatzzweck kann hieraus nicht abgeleitet werden. Durch unsachgemäßen Transport und / oder unsachgemäße Lagerung können sich Änderungen ergeben. Die Angaben in diesem Produktdatenblatt entbinden den Verarbeiter nicht von eigener Prüfung der Eigenschaften des Produktes und dessen Eignung für die vorgesehene Verwendung.

Trade name: Rehbraun Kalkf.			Print date: 02.03.20
	Version: 6 / DE		Date revised: 11.09.201
	Replaces Version	: 5/DE	
	•		
SECTION 1: Identification of the subs	stance/mixture and of the com	pany/undertak	ing
1.1. Product identifier Rehbraun Kalkf.			
1.2. Relevant identified uses of the s	substance or mixture and uses adv	vised against	
Use of the substance/preparation			
Colourant			
1.3. Details of the supplier of the saf	ety data sheet		
Address Deffner & Johann GmbH Mühläckerstraße 13 D-97520 Röthlein			
Tel. +49 9723 9350-0 Fax +49 9723 9350-25 E-Mail info@deffner-johann.de			
1.4. Emergency telephone number Tel. +49 9723 9350-0 (Mo Fr.: 8:00) - 15:00 Uhr)		
SECTION 2: Hazards identification **	*		
2.1. Classification of the substance	or mixture		
This product is not classified hazardo	ous in accordance with Regulation (E	EC) No 1272/200	8.
2.2. Label elements			
Hazardous component(s) to be indic	cated on label (Regulation (EC) No	. 1272/2008)	
Supplemental information *** EUH210	Safety data sheet availab	ble on request.	
2.3. Other hazards			
Dust loading			
SECTION 3: Composition/information	n on ingredients		
3.2. Mixtures			
Chemical characterization pigment mixture, inorganic construct	ion		
Further ingredients			
Calcium fluoride CAS No.	14542-23-5		
	>= 1 < 10	%	[5]
Note			
[5] Substance with EU occupational	exposure limits		
SECTION 4: First aid measures			
4.1. Description of first aid measure	S		
General information In case of persistent symptoms cons	ult doctor.		
After inhalation Remove the casualty into fresh air ai		mptoms take med	dical treatment.
After skin contact Wash off immediately with soap and			
After eye contact		· · F - · • • • • •	

Frade name: Rehbraun Kalkf.		Print date: 02.03.20
	Version: 6 / DE	Date revised: 11.09.2019
	Replaces Version: 5 / DE	
Rinse cautiously with water for se Seek medical advice immediately.	veral minutes. Remove contact lenses, if present a	nd easy to do. Continue rinsing.
After ingestion	r. Call in a physician immediately and show him th asures when giving first aid	e Safety Data Sheet.
4.2. Most important symptoms an		
Until now no symptoms known so	-	
• •	nedical attention and special treatment needed	
Hints for the physician / treatmen Treat symptomatically	-	
SECTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Water spray jet, Foam, Carbon did Non suitable extinguishing media		
Full water jet		
5.2. Special hazards arising from		d
· ·	in be released: Sulphur oxides; Irritant and harmfu	al compustion products.
5.3. Advice for firefighters		
Special protective equipment for to Use self-contained breathing appa		
Other information Fire residues and contaminated fit	e-fighting water must be disposed of in accordanc	e with the local regulations.
SECTION 6: Accidental release me	asures	
6.1. Personal precautions, protect	ive equipment and emergency procedures	
Avoid dust formation. Do not inhal ventilation. High risk of slipping du measures listed in Sections 7 and	e dust. Use breathing apparatus if exposed to vap e to leakage/spillage of product. Use personal pro 8. Remove persons to safety.	ours/dust/aerosol. Ensure adequate tective clothing. Refer to protective
6.2. Environmental precautions		
Do not discharge into the drains/s of contaminated wash water.	urface waters/groundwater. Do not discharge into t	the subsoil/soil. Retain and dispose
6.3. Methods and material for con	tainment and cleaning up	
Avoid raising dust. Pick up mecha	nically. When picked up, treat material as prescrib	ed under Section 13 "Disposal".
6.4. Reference to other sections		
Information regarding Safe handlin Information regarding waste dispo	ng, see Section 7. Information regarding personal p sal, see Section 13.	protective measures, see Section 8.
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Advice on safe handling Avoid the formation and deposition	n of dust. Provide exhaust ventilation if dust is form	ned. Ensure adequate ventilation.

Avoid the formation and deposition of dust. Provide exhaust ventilation if dust is formed. Ensure adequate ventilation. Handle and open container with care. Provide suitable exhaust ventilation at the processing machines. Use breathing apparatus when transferring large quantities without exhaust ventilation facilities. If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Observe the usual precautions for handling chemicals.

Advice on protection against fire and explosion

No special measures required.

7.2. Conditions for safe storage, including any incompatibilities

Hints on storage assembly

Safety data sheet in accorda	nce with regulation	(EC) No 1907/2006	
Trade name: Rehbraun Kal	kf.		Print date: 02.03.20
		Version: 6 / DE	Date revised: 11.09.201
		Replaces Version: 5 / DE	
Do not store together with f Further information on stor Keep container tightly close heat and cold.	age conditions	e together with: Acids ell-ventilated place. Protect from dire	ect sunlight. Protect from extreme
SECTION 8: Exposure contro	ols/personal protec	tion	
8.1. Control parameters			
Exposure limit values			
Calcium fluoride			
List	2000/39/	EC	
Туре	Indicative	Occupational Exposure Limit (EU)	
Value	2,5	mg/m ³	
Remarks: Fluorides, inorga	anic		
Calcium fluoride			
List	TRGS 90		
Value Maximum limit value: 4(II); DFG	1 Skin resorption / sens	mg/m³ sibilisation: H; Pregnancy group: Y;	Status: 12/2007; Remarks: EU,
Quartz			
Туре	MAK	<i>(</i> 2	
Value Maximum limit value: 8; S	0,05 tatus: DGUV 2017; R	mg/m ³ emarks: Alveolengängige Fraktion,	TRGS 559, TRGS-
Beurteilungsmaßstab			
Biological limit values			
Calcium fluoride			
List	TRGS 90)3	
Value	7,0	mg/g creatinine	
Parameter	Fluoride		
Testing material	Urine (U)		
Test date	End of ex	posure or end of shift.	
Calcium fluoride			
List	TRGS 90		
Value	4,0	mg/g	
Parameter	Fluoride	creatinine	
Testing material	Urine (U)		
Test date	Before ne		
Other information			
The national general dust li TRGS 900: Oberserve the			
8.2. Exposure controls			
General protective and hyg	iono mossures		
Do not inhale dust/fumes/a away from foodstuffs and b	erosols. Avoid contact everages. Wash hand	with skin and eyes. Do not eat, drin s before breaks and after work. Use ff immediately all contaminated cloth	barrier skin cream. Observe the
Respiratory protection		,, ,	5
		otection approved for this particular j re.	ob must be worn. Particle filter P2;
Hand protection			
Protective gloves Observe the information of requirements.	the glove manufacture	ers on permeability and breakthroug	n times and other workplace
Eye protection Safety glasses with side pro	otection shield		

Safety glasses with side protection shield

Body protection Clothing as usual in the chemical industry.

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Rehbraun Kalkf.

Print date: 02.03.20

Version: 6 / DE

.:.

Buntfarbenfabrik >ত্

DEIFEI

Replaces Version: 5 / DE

Date revised: 1	1.09.2019
-----------------	-----------

.1. Information on basic physic	al and chemical properties
Form	Powder
Colour	see tradename
Ddour	characteristic
Ddour threshold Remarks	not determined
bH value Remarks	not determined
//elting point Remarks	not determined
F reezing point Remarks	not determined
nitial boiling point and boiling r	
Remarks Flash point	not determined
Remarks	Not applicable
Evaporation rate (ether = 1) : Remarks	not determined
Flammability (solid, gas) not determined	
Jpper/lower flammability or exp Remarks	losive limits not determined
/apour pressure Remarks	not determined
/apour density	
Remarks	not determined
Density Remarks	not determined
Solubility in water Remarks	not determined
Solubility(ies)	
Remarks	not determined
Partition coefficient: n-octanol/v Remarks	vater not determined
gnition temperature Remarks	not determined
Decomposition temperature	not determined
/iscosity Remarks	not determined
Explosive properties	not determined
Dxidising properties Remarks	not determined
Remarks	noi delemined
Other information	

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

ade name: Rehbraun Kalkf.		Print date: 02.03.20
	Version: 6 / DE	Date revised: 11.09.201
	Replaces Version: 5 / DE	
No hazardous reactions known.		
10.3. Possibility of hazardous reac	tions	
No hazardous reactions known.		
10.4. Conditions to avoid		
No hazardous reactions known.		
Decomposition temperature Remarks	not determined	
10.5. Incompatible materials		
Reducing agents, Acids		
10.6. Hazardous decomposition pr	oducts	
Barium oxides, sulphurous oxides	(SOx)	
ECTION 11: Toxicological informa	tion	
11.1. Information on toxicological	effects	
Acute oral toxicity		
Remarks	not determined	
Acute dermal toxicity Remarks	not determined	
Acute inhalational toxicity		
Remarks	not determined	
Skin corrosion/irritation Remarks	not determined	
Remarks	Frequent persistent contact with the skin can ca	ause skin irritation.
Serious eye damage/irritation		
Remarks Remarks	not determined Eye contact with the product may lead to irritati	op
Sensitization	Lye contact with the product may lead to inital	011.
Remarks	not determined	
Subacute, subchronic, chronic tox		
Remarks Remarks	not determined Repeated or prolonged inhalation of dust may I	ead to chronic respiratory irritation
Mutagenicity	Repeated of proforiged initialation of dust may I	ead to chrome respiratory initiation.
Remarks	not determined	
Reproductive toxicity		
Remarks	not determined	
Carcinogenicity Remarks	not determined	
Specific Target Organ Toxicity (ST		
Remarks	not determined	
Other information No toxicological data are available.		
CTION 12: Ecological informatio	n	
12.1. Toxicity		
General information not determined		
12.2. Persistence and degradability	/	
General information not determined		
Biodegradability Remarks	not determined	

Trade name: Rehbraun Kalkf.		Print date: 02.03.20
	Version: 6 / DE	Date revised: 11.09.2019
	Replaces Version: 5 / DE	
General information		
not determined		
Partition coefficient: n-octanol/water Remarks	not determined	
12.4. Mobility in soil		
General information not determined		
12.5. Results of PBT and vPvB assess	ment	
General information not determined		
12.6. Other adverse effects		
General information not determined		
General information / ecology	ot discharge product unmonitored into the er	nvironment.
SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
	oduct and authorized waste disposal site in accorda aste disposal operator and/or the competen	
Disposal recommendations for package Packaging that cannot be cleaned show Uncontaminated packaging may be tak	ging uld be disposed off as product waste.	
SECTION 14: Transport information		
Land transport ADR/RID		
The product does not constitute a haza	ardous substance in land transport.	
Marine transport IMDG/GGVSee		
The product does not constitute a haza	ardous substance in sea transport.	
Air transport ICAO/IATA		
The product does not constitute a haza	ardous substance in air transport.	
SECTION 15: Regulatory information **	**	
15.1. Safety, health and environmental	l regulations/legislation specific for the su	ubstance or mixture
Water Hazard Class (Germany) ***		
Water Hazard Class (Germany) No	ot water hazardous erivation of WGK according to Annex 1 No. {	5.2 AwSV
15.2. Chemical safety assessment		
For this preparation a chemical safety a	assessment has not been carried out.	
SECTION 16: Other information		
Abbreviations		
ADR: Accord européen relatif au transp AGW: Arbeitsplatzgrenzwert	port international des marchandises Danger	
substances that are hazardous to wate BGW: Biologischer Grenzwert	Umgang mit wassergefährdenden Stoffen (r)	Jrumance on racilities for handling
CAS: Chemical Abstracts Service DNEL: Derived no effect level		
EINECS: European Inventory of Existin	ng Commercial Chemical Substances	

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Rehbraun Kalkf.

Version: 6 / DE

Print date: 02.03.20

Date revised: 11.09.2019

Replaces Version: 5 / DE

GGVSee: Gefahrgutverordnung See IARC: International Agency for Research on Cancer IATA: International Air Transport Association ICAO: International Civil Aviation Organization IMDG: International Maritime Code for Dangerous Goods LC: Lethal concentration LD: Lethal dose MAK: Maximale Arbeitsplatz-Konzentration NOEC: No observable effect concentration NOEL: No observable effect level OECD: Organisation for Economic Co-operation and Development OEL: Occupational exposure limit PBT: Persistent, Bioaccumulative and Toxic PNEC: Predicted no effect concentration RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses TRGS: Technische Regeln für Gefahrstoffe VDI: Verein Deutscher Ingenieure VLEP: Valeurs Limites d'exposition Professionnelle vPvB: Very persistent and very bioaccumulative WGK: Wassergefährdungsklasse (water hazard class)

Supplemental information

These data is based on our present knowledge and experience respectively supplier-information. This safety data sheet describes the product in regard to the requirements of safety. The information does not represent a assurance for certain properties. Existing laws and regulations are to be observed by the recipient of our products in own responsibility. It is the responsibility of the user, to determine if the product is suitable for the deliberate operational area and the respective intended purpose. A liability for damages in connection with the use of this information is excluded. Relevant changes compared with the previous version of the safety data sheet are marked with: ***