

SAFETY DATA SHEET

info@deffner-johann.de | +49 (0)9723 9350-0

Die in diesem Produktdatenblatt genannten Spezifikationen dienen nur zur Produktbeschreibung und beziehen sich auf den Zeitpunkt unmittelbar nach der Produktion bzw. Import des Produktes. Sie entsprechen den Angaben des Herstellers. Eine rechtsverbindliche Zusicherung bestimmter Eigenschaften oder der Eignung für einen bestimmten Einsatzzweck kann hieraus nicht abgeleitet werden. Durch unsachgemäßen Transport und / oder unsachgemäße Lagerung können sich Änderungen ergeben. Die Angaben in diesem Produktdatenblatt entbinden den Verarbeiter nicht von eigener Prüfung der Eigenschaften des Produktes und dessen Eignung für die vorgesehene Verwendung.

Trade name: Echthellblau Kalkfarbe

Print date: 02.03.20

Version: 3 / DE

Date revised: 06.02.2020

Replaces Version: 2 / DE

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Echthellblau Kalkfarbe

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Colourant

1.3. Details of the supplier of the safety data sheet

Adresse:

Deffner & Johann GmbH

Mühläckerstraße 13

D-97520 Röthlein

Tel.: +49 (0) 9723 9350-0

Fax: +49 (0) 9723 9350-25

E-Mail-Adresse: info@deffner-johann.de

1.4 Notfall-Nummer: +49 (0) 9723 9350-0 (Mo. – Fr. 7:30 – 15:00 Uhr)

SECTION 2: Hazards identification ***

2.1. Classification of the substance or mixture

This product is not classified hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

Supplemental information ***

EUH210

Safety data sheet available on request.

2.3. Other hazards

Dust loading. Contact with acids liberates very toxic gas. Possible dust explosion hazard.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

colourant mixture, inorganic/organic construction

Further ingredients

Calcium fluoride

CAS No.

14542-23-5

Concentration

>=

1

<

10

%

[5]

Note

[5] Substance with EU occupational exposure limits

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of persistent symptoms consult doctor.

After inhalation

Remove the casualty into fresh air and keep him calm. In the event of symptoms take medical treatment.

After skin contact

Wash off immediately with soap and water. Consult a doctor if skin irritation persists.

After eye contact

Trade name: Echthellblau Kalkfarbe

Print date: 02.03.20

Version: 3 / DE

Date revised: 06.02.2020

Replaces Version: 2 / DE

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

Rinse mouth thoroughly with water. Call in a physician immediately and show him the Safety Data Sheet.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / treatment

Treat symptomatically

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Foam

Non suitable extinguishing media

Full water jet, Carbon dioxide

5.2. Special hazards arising from the substance or mixture

In the event of fire the following can be released: Sulphur oxides; Carbon monoxide (CO); Carbon dioxide (CO₂); Nitrogen oxides (NO_x); organic combustion products. Hydrogen sulfide (H₂S); Hydrogen halide; Irritant and harmful combustion products.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Use self-contained breathing apparatus. Wear full protective suit.

Other information

Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Do not inhale dust. Use breathing apparatus if exposed to vapours/dust/aerosol. Ensure adequate ventilation. High risk of slipping due to leakage/spillage of product. Use personal protective clothing. Refer to protective measures listed in Sections 7 and 8. Remove persons to safety.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Retain and dispose of contaminated wash water.

6.3. Methods and material for containment and cleaning up

Avoid raising dust. Pick up mechanically. When picked up, treat material as prescribed under Section 13 "Disposal".

6.4. Reference to other sections

Information regarding Safe handling, see Section 7. Information regarding personal protective measures, see Section 8. Information regarding waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid the formation and deposition of dust. Provide exhaust ventilation if dust is formed. Ensure adequate ventilation. Handle and open container with care. Provide suitable exhaust ventilation at the processing machines. Use breathing apparatus when transferring large quantities without exhaust ventilation facilities. If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Observe the usual precautions for handling chemicals.

Advice on protection against fire and explosion

Avoid dust formation. Take action to prevent static discharges. Earthing necessary during loading operations. Keep away from sources of heat and ignition. Dust can form an explosive mixture with air. Do not smoke.

Trade name: Echthellblau Kalkfarbe

Print date: 02.03.20

Version: 3 / DE

Date revised: 06.02.2020

Replaces Version: 2 / DE

7.2. Conditions for safe storage, including any incompatibilities

Hints on storage assembly

Do not store together with foodstuffs. Keep away from flammable substances. Do not store together with: Acids, Oxidising agents

Further information on storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from direct sunlight. Protect from extreme heat and cold.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values

zinc sulfide

List MAK- und BAT-Werte Liste

Type MAK

Value 0,1 mg/m³

Maximum limit value: I(4); Pregnancy group: C; Status: 2019; Remarks: Zink und seine anorganischen Verbindungen (alveolengängige Fraktion)

zinc sulfide

List MAK- und BAT-Werte Liste

Type MAK

Value 2 mg/m³

Maximum limit value: I(2); Pregnancy group: C; Status: 2019; Remarks: Zink und seine anorganischen Verbindungen (einatembare Fraktion)

Calcium fluoride

List 2000/39/EC

Type Indicative Occupational Exposure Limit (EU)

Value 2,5 mg/m³

Remarks: Fluorides, inorganic

Calcium fluoride

List TRGS 900

Value 1 mg/m³

Maximum limit value: 4(II); Skin resorption / sensibilisation: H; Pregnancy group: Y; Status: 12/2007; Remarks: EU, DFG

Quartz

Type MAK

Value 0,05 mg/m³

Maximum limit value: 8; Status: DGUV 2017; Remarks: Alveolengängige Fraktion, TRGS 559, TRGS-Beurteilungsmaßstab

Biological limit values

Calcium fluoride

List TRGS 903

Value 7,0 mg/g creatinine

Parameter Fluoride

Testing material Urine (U)

Test date End of exposure or end of shift.

Calcium fluoride

List TRGS 903

Value 4,0 mg/g creatinine

Parameter Fluoride

Testing material Urine (U)

Test date Before next shift.

Other information

The national general dust limit must be observed.
TRGS 900: Observe the general dust threshold.

8.2. Exposure controls

General protective and hygiene measures

Trade name: Echthellblau Kalkfarbe

Print date: 02.03.20

Version: 3 / DE

Date revised: 06.02.2020

Replaces Version: 2 / DE

Do not inhale dust/fumes/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Wash hands before breaks and after work. Use barrier skin cream. Observe the usual precautions for handling chemicals. Take off immediately all contaminated clothing.

Respiratory protection

If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Particle filter P2; Use breathing apparatus in dust-laden atmosphere.

Hand protection

Protective gloves

Observe the information of the glove manufacturers on permeability and breakthrough times and other workplace requirements.

Eye protection

Safety glasses with side protection shield

Body protection

Clothing as usual in the chemical industry.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Form	Powder
Colour	see tradename
Odour	characteristic
Odour threshold	
Remarks	not determined
pH value	
Remarks	not determined
Melting point	
Remarks	not determined
Freezing point	
Remarks	not determined
Initial boiling point and boiling range	
Remarks	not determined
Flash point	
Remarks	Not applicable
Evaporation rate (ether = 1) :	
Remarks	not determined
Flammability (solid, gas)	
Remarks	not determined
Upper/lower flammability or explosive limits	
Remarks	not determined
Vapour pressure	
Remarks	not determined
Vapour density	
Remarks	not determined
Density	
Remarks	not determined
Solubility in water	
Remarks	not determined
Solubility(ies)	
Remarks	not determined
Partition coefficient: n-octanol/water	
Remarks	not determined
Ignition temperature	
Remarks	not determined
Decomposition temperature	
Remarks	not determined
Explosive properties	
evaluation	not determined

Trade name: Echthellblau Kalkfarbe

Print date: 02.03.20

Version: 3 / DE

Date revised: 06.02.2020

Replaces Version: 2 / DE

Oxidising properties

Remarks not determined

9.2. Other information

Other information

None known

SECTION 10: Stability and reactivity

10.1. Reactivity

With acids hydrogen sulphide is produced.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

Static charges. Dust can form an explosive mixture with air. Avoid all sources of ignition: heat, sparks, open flame.

Decomposition temperature

Remarks not determined

10.5. Incompatible materials

With acids hydrogen sulphide is produced. Reactions with strong alkalies and oxidising agents. Reducing agents

10.6. Hazardous decomposition products

Barium oxides, sulphurous oxides (SOx), Hydrogen sulfide (H2S), Carbon monoxide, Carbon dioxide, nitrous oxides (NOx), Chlorine compounds

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute oral toxicity

Remarks not determined

Acute dermal toxicity

Remarks not determined

Acute inhalational toxicity

Remarks not determined

Skin corrosion/irritation

Remarks not determined

Remarks Frequent persistent contact with the skin can cause skin irritation.

Serious eye damage/irritation

Remarks not determined

Remarks Eye contact with the product may lead to irritation.

Sensitization

Remarks not determined

Subacute, subchronic, chronic toxicity

Remarks not determined

Remarks Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.

Mutagenicity

Remarks not determined

Reproductive toxicity

Remarks not determined

Carcinogenicity

Remarks not determined

Specific Target Organ Toxicity (STOT)

Remarks not determined

Other information

No toxicological data are available.

This colour includes carbon black. According to IARC this pigment is classified in group 2B (possibly carcinogenic to

Trade name: Echthellblau Kalkfarbe

Print date: 02.03.20

Version: 3 / DE

Date revised: 06.02.2020

Replaces Version: 2 / DE

humans).

Carbon Black is classified in MAK-category 3B (possibly carcinogenic for humans in a form which is able to inhale). Prolonged exposure to dust concentrations exceeding the exposure limit may result in impairment of the self-cleaning capacity of the lungs and cause adverse lung effects.

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined

12.2. Persistence and degradability

General information

not determined

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient: n-octanol/water

Remarks not determined

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

General information

not determined

12.6. Other adverse effects

General information

not determined

General information / ecology

Ecological data are not available. Do not discharge product unmonitored into the environment. Should not get into contact with acids, because of release of hydrogen sulphide.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

Product should be taken to a suitable and authorized waste disposal site in accordance with relevant regulations and if necessary after consultation with the waste disposal operator and/or the competent Authorities.

Should not get into contact with acids, because of release of hydrogen sulphide

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off as product waste.

Uncontaminated packaging may be taken for recycling.

SECTION 14: Transport information

Land transport ADR/RID

The product does not constitute a hazardous substance in land transport.

Marine transport IMDG/GGVSee

The product does not constitute a hazardous substance in sea transport.

Air transport ICAO/IATA

The product does not constitute a hazardous substance in air transport.

SECTION 15: Regulatory information ***

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Water Hazard Class (Germany) ***

Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Echthellblau Kalkfarbe

Print date: 02.03.20

Version: 3 / DE

Date revised: 06.02.2020

Replaces Version: 2 / DE

Water Hazard Class (Germany) Not water hazardous
Remarks Derivation of WGK according to Annex 1 No. 5.2 AwSV

Other regulations, restrictions and prohibition regulations

VDI 2263 "Dust fires and explosions; Danger, Evaluation, Protection measures".

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route
AGW: Arbeitsplatzgrenzwert
AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances that are hazardous to water)
BGW: Biologischer Grenzwert
CAS: Chemical Abstracts Service
DNEL: Derived no effect level
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
GGVSee: Gefahrgutverordnung See
IARC: International Agency for Research on Cancer
IATA: International Air Transport Association
ICAO: International Civil Aviation Organization
IMDG: International Maritime Code for Dangerous Goods
LC: Lethal concentration
LD: Lethal dose
MAK: Maximale Arbeitsplatz-Konzentration
NOEC: No observable effect concentration
NOEL: No observable effect level
OECD: Organisation for Economic Co-operation and Development
OEL: Occupational exposure limit
PBT: Persistent, Bioaccumulative and Toxic
PNEC: Predicted no effect concentration
RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses
TRGS: Technische Regeln für Gefahrstoffe
VDI: Verein Deutscher Ingenieure
VLEP: Valeurs Limites d'exposition Professionnelle
vPvB: Very persistent and very bioaccumulative
WGK: Wassergefährdungsklasse (water hazard class)

Supplemental information

These data is based on our present knowledge and experience respectively supplier-information. This safety data sheet describes the product in regard to the requirements of safety. The information does not represent a assurance for certain properties. Existing laws and regulations are to be observed by the recipient of our products in own responsibility. It is the responsibility of the user, to determine if the product is suitable for the deliberate operational area and the respective intended purpose. A liability for damages in connection with the use of this information is excluded. Relevant changes compared with the previous version of the safety data sheet are marked with: ***