

# SAFETY DATA SHEET

info@deffner-johann.de | +49 (0)9723 9350-0

Die in diesem Produktdatenblatt genannten Spezifikationen dienen nur zur Produktbeschreibung und beziehen sich auf den Zeitpunkt unmittelbar nach der Produktion bzw. Import des Produktes. Sie entsprechen den Angaben des Herstellers. Eine rechtsverbindliche Zusicherung bestimmter Eigenschaften oder der Eignung für einen bestimmten Einsatzzweck kann hieraus nicht abgeleitet werden. Durch unsachgemäßen Transport und / oder unsachgemäße Lagerung können sich Änderungen ergeben. Die Angaben in diesem Produktdatenblatt entbinden den Verarbeiter nicht von eigener Prüfung der Eigenschaften des Produktes und dessen Eignung für die vorgesehene Verwendung.

Trade name: Echthellblau Kalkfarbe Print date: 02.03.20

Version: 3 / DE Date revised: 06.02.2020

Replaces Version: 2 / DE

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Echthellblau Kalkfarbe

1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/preparation

Colourant

1.3. Details of the supplier of the safety data sheet

#### Adresse:

Deffner & Johann GmbH Mühläckerstraße 13 D-97520 Röthlein

Tel.: +49 (0) 9723 9350-0 Fax: +49 (0) 9723 9350-25 E-Mail-Adresse: info@deffner-johann.de

**1.4 Notfall-Nummer:** +49 (0) 9723 9350-0 (Mo. – Fr. 7:30 – 15:00 Uhr)

# **SECTION 2: Hazards identification \*\*\***

### 2.1. Classification of the substance or mixture

This product is not classified hazardous in accordance with Regulation (EC) No 1272/2008.

### 2.2. Label elements

# Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

# Supplemental information \*\*\*

EUH210 Safety data sheet available on request.

#### 2.3. Other hazards

Dust loading. Contact with acids liberates very toxic gas. Possible dust explosion hazard.

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

## **Chemical characterization**

colourant mixture, inorganic/organic construction

#### **Further ingredients**

# Calcium fluoride

CAS No. 14542-23-5

Concentration >= 1 < 10 % [5]

#### Note

[5] Substance with EU occupational exposure limits

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

## **General information**

In case of persistent symptoms consult doctor.

# After inhalation

Remove the casualty into fresh air and keep him calm. In the event of symptoms take medical treatment.

### After skin contact

Wash off immediately with soap and water. Consult a doctor if skin irritation persists.

### After eye contact

Trade name: Echthellblau Kalkfarbe Print date: 02.03.20

Version: 3 / DE Date revised: 06.02.2020

Replaces Version: 2 / DE

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

#### After ingestion

Rinse mouth thoroughly with water. Call in a physician immediately and show him the Safety Data Sheet.

## Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

# 4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

### 4.3. Indication of any immediate medical attention and special treatment needed

#### Hints for the physician / treatment

Treat symptomatically

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

# Suitable extinguishing media

Water spray jet, Foam

#### Non suitable extinguishing media

Full water jet, Carbon dioxide

#### 5.2. Special hazards arising from the substance or mixture

In the event of fire the following can be released: Sulphur oxides; Carbon monoxide (CO); Carbon dioxide (CO2); Nitrogen oxides (NOx); organic combustion products. Hydrogen sulfide (H2S); Hydrogen halide; Irritant and harmful combustion products.

#### 5.3. Advice for firefighters

# Special protective equipment for fire-fighting

Use self-contained breathing apparatus. Wear full protective suit.

### Other information

Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Do not inhale dust. Use breathing apparatus if exposed to vapours/dust/aerosol. Ensure adequate ventilation. High risk of slipping due to leakage/spillage of product. Use personal protective clothing. Refer to protective measures listed in Sections 7 and 8. Remove persons to safety.

# 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Retain and dispose of contaminated wash water.

### 6.3. Methods and material for containment and cleaning up

Avoid raising dust. Pick up mechanically. When picked up, treat material as prescribed under Section 13 "Disposal".

# 6.4. Reference to other sections

Information regarding Safe handling, see Section 7. Information regarding personal protective measures, see Section 8. Information regarding waste disposal, see Section 13.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

# Advice on safe handling

Avoid the formation and deposition of dust. Provide exhaust ventilation if dust is formed. Ensure adequate ventilation. Handle and open container with care. Provide suitable exhaust ventilation at the processing machines. Use breathing apparatus when transferring large quantities without exhaust ventilation facilities. If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Observe the usual precautions for handling chemicals.

# Advice on protection against fire and explosion

Avoid dust formation. Take action to prevent static discharges. Earthing necessary during loading operations. Keep away from sources of heat and ignition. Dust can form an explosive mixture with air. Do not smoke.

Trade name: Echthellblau Kalkfarbe Print date: 02.03.20

Version: 3 / DE Date revised: 06.02.2020

Replaces Version: 2 / DE

### 7.2. Conditions for safe storage, including any incompatibilities

#### Hints on storage assembly

Do not store together with foodstuffs. Keep away from flammable substances. Do not store together with: Acids, Oxidising agents

#### Further information on storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from direct sunlight. Protect from extreme heat and cold.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

# **Exposure limit values**

# zinc sulfide

List MAK- und BAT-Werte Liste

Type MAK

Value 0,1 mg/m³

Maximum limit value: (I)4; Pregnancy group: C; Status: 2019; Remarks: Zink und seine anorganischen

Verbindungen (alveolengängige Fraktion)

zinc sulfide

List MAK- und BAT-Werte Liste

Type MAK

Value 2 mg/m³

Maximum limit value: I(2); Pregnancy group: C; Status: 2019; Remarks: Zink und seine anorganischen

Verbindungen (einatembare Fraktion)

Calcium fluoride

List 2000/39/EC

Type Indicative Occupational Exposure Limit (EU)

Value 2,5 mg/m<sup>3</sup>

Remarks: Fluorides, inorganic

**Calcium fluoride** 

List TRGS 900

Value 1 mg/m<sup>3</sup>

Maximum limit value: 4(II); Skin resorption / sensibilisation: H; Pregnancy group: Y; Status: 12/2007; Remarks: EU,

DFG

Quartz

Type MAK

Value 0,05 mg/m<sup>3</sup>

Maximum limit value: 8; Status: DGUV 2017; Remarks: Alveolengängige Fraktion, TRGS 559, TRGS-

Beurteilungsmaßstab

# **Biological limit values**

# Calcium fluoride

List TRGS 903

Value 7,0 mg/g

creatinine

Parameter Fluoride Testing material Urine (U)

Test date End of exposure or end of shift.

Calcium fluoride

List TRGS 903 Value 4,0 mg/g

creatinine

Parameter Fluoride
Testing material Urine (U)
Test date Before next shift.

# Other information

The national general dust limit must be observed. TRGS 900: Oberserve the general dust threshold.

## 8.2. Exposure controls

# General protective and hygiene measures

Trade name: Echthellblau Kalkfarbe Print date: 02.03.20

Version: 3 / DE Date revised: 06.02.2020

Replaces Version: 2 / DE

Do not inhale dust/fumes/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Wash hands before breaks and after work. Use barrier skin cream. Observe the usual precautions for handling chemicals. Take off immediately all contaminated clothing.

### Respiratory protection

If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Particle filter P2; Use breathing apparatus in dust-laden atmosphere.

### **Hand protection**

Protective gloves

Observe the information of the glove manufacturers on permeability and breakthrough times and other workplace requirements.

### Eye protection

Safety glasses with side protection shield

### **Body protection**

Clothing as usual in the chemical industry.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Form Powder
Colour see tradename
Odour characteristic

**Odour threshold** 

Remarks not determined

pH value

Remarks not determined

**Melting point** 

Remarks not determined

Freezing point

Remarks not determined

Initial boiling point and boiling range

Remarks not determined

Flash point

Remarks Not applicable

Evaporation rate (ether = 1):

Remarks not determined

Flammability (solid, gas)

not determined

Upper/lower flammability or explosive limits

Remarks not determined

Vapour pressure

Remarks not determined

Vapour density

Remarks not determined

Density

Remarks not determined

Solubility in water

Remarks not determined

Solubility(ies)

Remarks not determined

Partition coefficient: n-octanol/water

Remarks not determined

Ignition temperature

Remarks not determined

Decomposition temperature

Remarks not determined

**Explosive properties** 

evaluation not determined

Trade name: Echthellblau Kalkfarbe Print date: 02.03.20

Version: 3 / DE Date revised: 06.02.2020

Replaces Version: 2 / DE

**Oxidising properties** 

Remarks not determined

9.2. Other information

Other information

None known

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

With acids hydrogen sulphide is produced.

### 10.2. Chemical stability

No hazardous reactions known.

#### 10.3. Possibility of hazardous reactions

No hazardous reactions known.

#### 10.4. Conditions to avoid

Static charges. Dust can form an explosive mixture with air. Avoid all sources of ignition: heat, sparks, open flame.

### **Decomposition temperature**

Remarks not determined

#### 10.5. Incompatible materials

With acids hydrogen sulphide is produced. Reactions with strong alkalies and oxidising agents. Reducing agents

#### 10.6. Hazardous decomposition products

Barium oxides, sulphurous oxides (SOx), Hydrogen sulfide (H2S), Carbon monoxide, Carbon dioxide, nitrous oxides (NOx), Chlorine compounds

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute oral toxicity

Remarks not determined

Acute dermal toxicity

Remarks not determined

Acute inhalational toxicity

Remarks not determined

Skin corrosion/irritation

Remarks not determined

Remarks Frequent persistent contact with the skin can cause skin irritation.

Serious eye damage/irritation

Remarks not determined

Remarks Eye contact with the product may lead to irritation.

Sensitization

Remarks not determined

Subacute, subchronic, chronic toxicity

Remarks not determined

Remarks Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.

Mutagenicity

Remarks not determined

Reproductive toxicity

Remarks not determined

Carcinogenicity

Remarks not determined

**Specific Target Organ Toxicity (STOT)** 

Remarks not determined

Other information

No toxicological data are available.

This colour includes carbon black. According to IARC this pigment is classified in group 2B (possibly carcinogenic to

Trade name: Echthellblau Kalkfarbe Print date: 02.03.20

Version: 3 / DE Date revised: 06.02.2020

Replaces Version: 2 / DE

humans).

Carbon Black is classified in MAK-category 3B (possibly carcinogenic for humans in a form which is able to inhale). Prolonged exposure to dust concentrations exceeding the exposure limit may result in impairment of the self-cleaning capacity of the lungs and cause adverse lung effects.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

### **General information**

not determined

### 12.2. Persistence and degradability

### **General information**

not determined

### 12.3. Bioaccumulative potential

#### **General information**

not determined

#### Partition coefficient: n-octanol/water

Remarks not determined

### 12.4. Mobility in soil

#### **General information**

not determined

#### 12.5. Results of PBT and vPvB assessment

#### **General information**

not determined

### 12.6. Other adverse effects

#### **General information**

not determined

#### General information / ecology

Ecological data are not available. Do not discharge product unmonitored into the environment. Should not get into contact with acids, because of release of hydrogen sulphide.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

# Disposal recommendations for the product

Product should be taken to a suitable and authorized waste disposal site in accordance with relevant regulations and if necessary after consultation with the waste disposal operator and/or the competent Authorities.

Should not get into contact with acids, because of release of hydrogen sulphide

# Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off as product waste.

Uncontaminated packaging may be taken for recycling.

# **SECTION 14: Transport information**

# Land transport ADR/RID

The product does not constitute a hazardous substance in land transport.

### Marine transport IMDG/GGVSee

The product does not constitute a hazardous substance in sea transport.

# Air transport ICAO/IATA

The product does not constitute a hazardous substance in air transport.

# SECTION 15: Regulatory information \*\*\*

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Water Hazard Class (Germany) \*\*\*

Trade name: Echthellblau Kalkfarbe Print date: 02.03.20

Version: 3 / DE Date revised: 06.02.2020

Replaces Version: 2 / DE

Water Hazard Class (Germany) Not water hazardous

Remarks Derivation of WGK according to Annex 1 No. 5.2 AwSV

### Other regulations, restrictions and prohibition regulations

VDI 2263 "Dust fires and explosions; Danger, Evaluation, Protection measures".

### 15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

#### **SECTION 16: Other information**

### **Abbreviations**

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route

AGW: Arbeitsplatzgrenzwert

AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling

substances that are hazardous to water)

BGW: Biologischer Grenzwert CAS: Chemical Abstracts Service DNEL: Derived no effect level

EINECS: European Inventory of Existing Commercial Chemical Substances

**ELINCS: European List of Notified Chemical Substances** 

GGVSee: Gefahrgutverordnung See

IARC: International Agency for Research on Cancer IATA: International Air Transport Association ICAO: International Civil Aviation Organization

IMDG: International Maritime Code for Dangerous Goods

LC: Lethal concentration

LD: Lethal dose

MAK: Maximale Arbeitsplatz-Konzentration NOEC: No observable effect concentration

NOEL: No observable effect level

OECD: Organisation for Economic Co-operation and Development

OEL: Occupational exposure limit

PBT: Persistent, Bioaccumulative and Toxic PNEC: Predicted no effect concentration

RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses

TRGS: Technische Regeln für Gefahrstoffe

VDI: Verein Deutscher Ingenieure

VLEP: Valeurs Limites d'exposition Professionnelle vPvB: Very persistent and very bioaccumulative WGK: Wassergefährdungsklasse (water hazard class)

# Supplemental information

These data is based on our present knowledge and experience respectively supplier-information. This safety data sheet describes the product in regard to the requirements of safety. The information does not represent a assurance for certain properties. Existing laws and regulations are to be observed by the recipient of our products in own responsibility. It is the responsibility of the user, to determine if the product is suitable for the deliberate operational area and the respective intended purpose. A liability for damages in connection with the use of this information is excluded. Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\*