

# SAFETY DATA SHEET

info@deffner-johann.de | +49 (0)9723 9350-0

Die in diesem Produktdatenblatt genannten Spezifikationen dienen nur zur Produktbeschreibung und beziehen sich auf den Zeitpunkt unmittelbar nach der Produktion bzw. Import des Produktes. Sie entsprechen den Angaben des Herstellers. Eine rechtsverbindliche Zusicherung bestimmter Eigenschaften oder der Eignung für einen bestimmten Einsatzzweck kann hieraus nicht abgeleitet werden. Durch unsachgemäßen Transport und / oder unsachgemäße Lagerung können sich Änderungen ergeben. Die Angaben in diesem Produktdatenblatt entbinden den Verarbeiter nicht von eigener Prüfung der Eigenschaften des Produktes und dessen Eignung für die vorgesehene Verwendung.

Trade name: Kalk Echtgelb		Print date: 02.03.20						
-			Version:	6 / DE		Date	revised: 26.09	).20 <sup>,</sup>
			Replaces	Version:	5 / DE			
			<u> </u>					
SECTION 1: Identification	of the substa	nce/mix	ture and of	the compa	any/underta	aking		
1.1. Product identifier								
Kalk Echtgelb								
1.2. Relevant identified u		stance or	mixture and	l uses advis	sed against			
Use of the substance/pre Colourant	paration							
1.3. Details of the supplie	or of the safety	data she	ot					
	a of the salety	uata she	el					
Adresse: Deffner & Johann Gm	ЬU							
Mühläckerstraße 13								
D-97520 Röthlein								
Tel.:	+49 (0) 97							
Fax:	+49 (0) 97							
E-Mail-Adresse:	info@deffr	ier-jonar	in.de					
1.4 Notfall-Nummer:	+49 (0) 97	23 9350	-0 (Mo. – Fr	7:30 – 15:	00 Uhr)			
SECTION 2: Hazards identi	fightion ***							
2.1. Classification of the			la se suith De		N N = 4070/00	200		
This product is not class	fied hazardous	in accord	ance with Re	gulation (EC	5) No 1272/20	008.		
2.2. Label elements								
Hazardous component(s Supplemental informatio		a on lab	a (Regulatio	n (EC) NO. '	1272/2008)			
EUH210		S	afety data she	eet available	on request.			
2.3. Other hazards								
Dust loading. Possible d	ust explosion ha	azard.						
SECTION 3: Composition/i	nformation o	n ingred	lients					
3.2. Mixtures								
Chemical characterizatio								
colourant mixture, inorga	inic/organic con	struction						
Further ingredients Calcium fluoride								
CAS No.		14	4542-23-5					
Concentration	>=	1	<	10	%	[5]		
Note								
[5] Substance with EU of	ccupational exp	osure lim	its					
SECTION 4: First aid meas	ures							
4.1. Description of first a								
General information	u measures							
In case of persistent sym	ptoms consult	doctor.						
After inhalation	-							
Remove the casualty inte	o fresh air and l	keep him	calm. In the e	vent of sym	otoms take m	edical treatn	nent.	
After skin contact Wash off immediately wi	th soap and wa	ter. Consi	ult a doctor if	skin irritatior	n persists.			
After eye contact	1							

rade name: Kalk Echtgelb		Print date: 02.03.20			
		Version: 6 / DE	Date revised: 26.09.201		
		Replaces Version: 5 / DE			
Seek me	edical advice immediately.	ninutes. Remove contact lenses, if present a	nd easy to do. Continue rinsing.		
Adhere to			e Safety Data Sheet.		
4.2. Most	important symptoms and effe	cts, both acute and delayed			
Until nov	w no symptoms known so far.				
4.3. Indica	ation of any immediate medica	al attention and special treatment needed			
	the physician / treatment mptomatically				
ECTION 5: F	Firefighting measures				
5.1. Exting	guishing media				
	extinguishing media pray jet, Foam				
Non suita	<b>ble extinguishing media</b> er jet, Carbon dioxide				
5.2. Speci	ial hazards arising from the su	ubstance or mixture			
		released: Sulphur oxides; Carbon monoxide ( e; Irritant and harmful combustion products.	(CO); Carbon dioxide (CO2);		
5.3. Advic	e for firefighters				
	rotective equipment for fire-fig -contained breathing apparatus.				
Other info Fire resi		ting water must be disposed of in accordance	e with the local regulations.		
ECTION 6:	Accidental release measure	es			
6.1. Perso	onal precautions, protective eq	quipment and emergency procedures			
Avoid du vapours	ust formation. Do not inhale dus /dust/aerosol. High risk of slippir	t. Ensure adequate ventilation. Use breathing ng due to leakage/spillage of product. Use pe and 8. Remove persons to safety.			
6.2. Enviro	onmental precautions				
	discharge into the drains/surface minated wash water.	waters/groundwater. Do not discharge into t	he subsoil/soil. Retain and dispose		
6.3. Metho	ods and material for containm	ent and cleaning up			
Avoid ra	ising dust. Pick up mechanically	v. When picked up, treat material as prescribe	ed under Section 13 "Disposal".		
6.4. Refer	ence to other sections				
	tion regarding Safe handling, se tion regarding waste disposal, se	e Section 7. Information regarding personal p ee Section 13.	protective measures, see Section 8.		
ECTION 7: I	Handling and storage				
7.1. Preca	nutions for safe handling				
Avoid th Handle a apparatu	and open container with care. P us when transferring large quant pry protection approved for this p	ust. Provide exhaust ventilation if dust is form rovide suitable exhaust ventilation at the proc tities without exhaust ventilation facilities. If w particular job must be worn. Observe the usua	cessing machines. Use breathing vorkplace limits are exceeded, a		

Advice on protection against fire and explosion Avoid dust formation. Take action to prevent static discharges. Earthing necessary during loading operations. Keep away from sources of heat and ignition. Dust can form an explosive mixture with air. Do not smoke.

rade name: Kalk Echtgelb		Print date: 02.03.20			
_	Versio	on: 6/DE	Date revised: 26.09.20		
	Repla	ces Version: 5 / DE			
70. Ora ditiona for eafs stores in	- I	L 11/1			
7.2. Conditions for safe storage, in	cluding any incompati	DIIITIES			
Hints on storage assembly Do not store together with foodstuff	s. Do not store together	with: Ovidising agents	Acide		
Further information on storage con		with Oxidiality agents, P			
Keep container tightly closed and d heat and cold.		ted place. Protect from di	irect sunlight. Protect from extreme		
ECTION 8: Exposure controls/pers	onal protection				
8.1. Control parameters					
Exposure limit values					
Calcium fluoride					
List	2000/39/EC				
Туре		ional Exposure Limit (EU	))		
Value Romarka: Eluoridos inorgania	2,5 mg/m <sup>2</sup>	5			
Remarks: Fluorides, inorganic					
Calcium fluoride List	<b>TRGS 900</b>				
Value	1 mg/m <sup>2</sup>	3			
			Y; Status: 12/2007; Remarks: EU,		
_Quartz					
Туре	MAK	2			
Value Maximum limit value: 8; Status: D0 Beurteilungsmaßstab	0,05 mg/m <sup>3</sup> GUV 2017; Remarks: A		, TRGS 559, TRGS-		
Biological limit values					
Calcium fluoride					
List	TRGS 903				
Value	7,0 mg/g				
Parameter	creati	nine			
Parameter Testing material	Fluoride Urine (U)				
Test date	End of exposure o	r end of shift.			
Calcium fluoride					
List	TRGS 903				
Value	4,0 mg/g				
5	creati	nine			
Parameter Tecting material	Fluoride				
Testing material Test date	Urine (U) Before next shift.				
Other information	Defore next shift.				
The national general dust limit must TRGS 900: Oberserve the general					
8.2. Exposure controls					
General protective and hygiene me Do not inhale dust/fumes/aerosols. away from foodstuffs and beverage usual precautions for handling chem	Avoid contact with skin s. Wash hands before b	preaks and after work. Us			
Respiratory protection			-		
		oproved for this particular	r job must be worn. Particle filter P2;		
Hand protection Protective gloves Observe the information of the glov requirements.	e manufacturers on peri	meability and breakthroug	gh times and other workplace		
Eye protection					

rade name: Kalk Echtgelb		Print date: 02.03.20	
	Version: 6 / DE	Date revised:	26.09.201
	Replaces Version: 5 / DE		
De du maste stien			
Body protection Clothing as usual in the chemical indu	stry.		
ECTION 9: Physical and chemical pr	operties		
9.1. Information on basic physical and	d chemical properties		
Form Colour	Powder		
Odour	see tradename characteristic		
Odour threshold			
Remarks	not determined		
pH value			
Remarks	not determined		
Melting point Remarks	not determined		
Freezing point			
Remarks	not determined		
Initial boiling point and boiling range			
Remarks	not determined		
Flash point Remarks	Not applicable		
Evaporation rate (ether = 1) :			
Remarks	not determined		
Flammability (solid, gas) not determined			
Upper/lower flammability or explosive			
Remarks	not determined		
Vapour pressure Remarks	not determined		
Vapour density	not determined		
Remarks	not determined		
Density			
Remarks	not determined		
Solubility in water Remarks	not determined		
Solubility(ies)	not determined		
Remarks	not determined		
Partition coefficient: n-octanol/water			
Remarks	not determined		
Ignition temperature			
Remarks	not determined		
Decomposition temperature Remarks	not determined		
Explosive properties			
evaluation	not determined		
Oxidising properties Remarks	not determined		
ECTION 10: Stability and reactivity			
10.1. Reactivity			
-	and handled according to prescribed instructio	ns	
	and nationed according to prescribed instructio		
10.2. Chemical stability			

# 10.3. Possibility of hazardous reactions

No hazardous reactions known.

rade name: Kalk Echtgelb	Print date: 02.03.20				
	Version: 6 / DE	Date revised: 26.09.20			
	Replaces Version: 5 / DE				
10.4. Conditions to avoid					
	xplosive mixture with air. Avoid all sources of igniti	ion: heat, sparks, open flame.			
Decomposition temperature					
Remarks	not determined				
10.5. Incompatible materials					
Reactions with strong oxidising age	ents. Reactions with strong alkalies. Reducing age	ents, Acids			
10.6. Hazardous decomposition pr					
Barium oxides, sulphurous oxides	(SOx), nitrous oxides (NOx), Chlorine compounds				
ECTION 11: Toxicological informa	tion				
11.1. Information on toxicological	effects				
Acute oral toxicity Remarks	not determined				
Acute dermal toxicity					
Remarks	not determined				
Acute inhalational toxicity Remarks	not determined				
Skin corrosion/irritation					
Remarks	not determined				
Remarks	Frequent persistent contact with the skin can ca	use skin irritation.			
Serious eye damage/irritation	not determined				
Remarks Remarks	not determined Eye contact with the product may lead to irritatic	on.			
Sensitization Remarks	not determined				
Subacute, subchronic, chronic tox					
Remarks Remarks	not determined Repeated or prolonged inhalation of dust may le	ead to chronic respiratory irritation.			
Mutagenicity					
Remarks	not determined				
Reproductive toxicity					
Remarks	not determined				
Carcinogenicity Remarks	not determined				
Specific Target Organ Toxicity (ST					
Remarks	not determined				
Other information No toxicological data are available.					
ECTION 12: Ecological informatio	n				
12.1. Toxicity					
General information not determined					
12.2. Persistence and degradability	/				
General information not determined					
Biodegradability Remarks	not determined				
12.3. Bioaccumulative potential					
General information					
not determined	or				
Partition coefficient: n-octanol/wat Remarks	er not determined				

Trade name: Kalk Echtgelb

Version: 6 / DE

Print date: 02.03.20

Date revised: 26.09.2019

Replaces Version: 5 / DE

12.4.	Mobi	litv	in	soil

General information not determined

#### 12.5. Results of PBT and vPvB assessment

General information not determined

12.6. Other adverse effects

General information not determined

General information / ecology Ecological data are not available. Do not discharge product unmonitored into the environment.

## **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Disposal recommendations for the product

Product should be taken to a suitable and authorized waste disposal site in accordance with relevant regulations and if necessary after consultation with the waste disposal operator and/or the competent Authorities.

#### Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off as product waste. Uncontaminated packaging may be taken for recycling.

## **SECTION 14: Transport information**

#### Land transport ADR/RID

The product does not constitute a hazardous substance in land transport.

### Marine transport IMDG/GGVSee

The product does not constitute a hazardous substance in sea transport.

#### Air transport ICAO/IATA

The product does not constitute a hazardous substance in air transport.

#### **SECTION 15: Regulatory information \*\*\***

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Water Hazard Class (Germany) \*\*\*

Water Hazard Class (Germany) Remarks Not water hazardous Derivation of WGK according to Annex 1 No. 5.2 AwSV

#### 15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

# **SECTION 16: Other information**

# Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route AGW: Arbeitsplatzgrenzwert AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances that are hazardous to water) BGW: Biologischer Grenzwert CAS: Chemical Abstracts Service DNEL: Derived no effect level EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances GGVSee: Gefahrgutverordnung See IARC: International Agency for Research on Cancer IATA: International Air Transport Association ICAO: International Civil Aviation Organization IMDG: International Maritime Code for Dangerous Goods Safety data sheet in accordance with regulation (EC) No 1907/2006

# Trade name: Kalk Echtgelb

Version: 6 / DE

Print date: 02.03.20

Date revised: 26.09.2019

# Replaces Version: 5 / DE

LC: Lethal concentration LD: Lethal dose MAK: Maximale Arbeitsplatz-Konzentration NOEC: No observable effect concentration NOEL: No observable effect level OECD: Organisation for Economic Co-operation and Development OEL: Occupational exposure limit PBT: Persistent, Bioaccumulative and Toxic PNEC: Predicted no effect concentration RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses TRGS: Technische Regeln für Gefahrstoffe VDI: Verein Deutscher Ingenieure VLEP: Valeurs Limites d'exposition Professionnelle vPvB: Very persistent and very bioaccumulative WGK: Wassergefährdungsklasse (water hazard class)

# Supplemental information

These data is based on our present knowledge and experience respectively supplier-information. This safety data sheet describes the product in regard to the requirements of safety. The information does not represent a assurance for certain properties. Existing laws and regulations are to be observed by the recipient of our products in own responsibility. It is the responsibility of the user, to determine if the product is suitable for the deliberate operational area and the respective intended purpose. A liability for damages in connection with the use of this information is excluded. Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\*