

SAFETY DATA SHEET

1352000 | 1352120 | Kalkfarbe Kristall-Echtgrün -
Lime Colour Crystal True Green

info@deffner-johann.de | +49 9723 9350-0

Die in diesem Produktdatenblatt genannten Spezifikationen dienen nur zur Produktbeschreibung und beziehen sich auf den Zeitpunkt unmittelbar nach der Produktion bzw. Import des Produktes. Sie entsprechen den Angaben des Herstellers. Eine rechtsverbindliche Zusicherung bestimmter Eigenschaften oder der Eignung für einen bestimmten Einsatzzweck kann hieraus nicht abgeleitet werden. Durch unsachgemäßen Transport und / oder unsachgemäße Lagerung können sich Änderungen ergeben. Die Angaben in diesem Produktdatenblatt entbinden den Verarbeiter nicht von eigener Prüfung der Eigenschaften des Produktes und dessen Eignung für die vorgesehene Verwendung.

Trade name: Kalkfarbe Kristall-Echtgrün

Print date: 20.07.23

Version: 7 / DE

Date revised: 23.05.2023

Replaces Version: 6 / DE

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Kalkfarbe Kristall-Echtgrün

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/preparation

Colourant

Uses advised against

Mixtures for use for tattooing purposes

1.3. Details of the supplier of the safety data sheet

Address

Deffner & Johann
Mühlackerstraße 13
D-97520 Röhlein
Telefon-Nr.: + 49 (0) 9723 9350-0
Fax-Nr.: + 49 (0) 9723 9350-25
E-Mail-Adresse: info@deffner-johann.de

1.4. Emergency telephone number

+49 (0) 9723 9350-0 (Mo - Fr: 7.30 -15.00 Uhr)

SECTION 2: Hazards identification ***

2.1. Classification of the substance or mixture

This product is not classified hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

Supplemental information

EUH210 Safety data sheet available on request.

2.3. Other hazards

Dust loading. Possible dust explosion hazard.

This substance/mixture does not contain components classified as persistent, bioaccumulative and toxic (PBT) at levels of 0.1% or higher. This substance/mixture does not contain components classified as very persistent and very bioaccumulative (vPvB) at concentrations of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

colourant mixture, inorganic/organic construction

Further ingredients

Calcium fluoride

CAS No. 14542-23-5
Concentration >= 1 < 10 %
Advice: [5]

Note

[5] Substance with EU occupational exposure limits

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Trade name: Kalkfarbe Kristall-Echtgrün

Print date: 20.07.23

Version: 7 / DE

Date revised: 23.05.2023

Replaces Version: 6 / DE

In case of persistent symptoms consult doctor.

After inhalation

Remove the casualty into fresh air and keep him calm. In the event of symptoms take medical treatment.

After skin contact

Wash off immediately with soap and water. Consult a doctor if skin irritation persists.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

Rinse mouth thoroughly with water. Call in a physician immediately and show him the Safety Data Sheet.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / treatment

Treat symptomatically

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Foam

Non suitable extinguishing media

Full water jet, Carbon dioxide

5.2. Special hazards arising from the substance or mixture

In the event of fire the following can be released: Sulphur oxides; Carbon monoxide (CO); Carbon dioxide (CO₂); Nitrogen oxides (NO_x); Hydrogen halide; Irritant and harmful combustion products.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Use self-contained breathing apparatus.

Other information

Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Do not inhale dust. Ensure adequate ventilation. Use breathing apparatus if exposed to vapours/dust/aerosol. High risk of slipping due to leakage/spillage of product. Use personal protective clothing. Refer to protective measures listed in Sections 7 and 8. Remove persons to safety.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. Retain and dispose of contaminated wash water.

6.3. Methods and material for containment and cleaning up

Avoid raising dust. Pick up mechanically. When picked up, treat material as prescribed under Section 13 "Disposal".

6.4. Reference to other sections

Information regarding Safe handling, see Section 7. Information regarding personal protective measures, see Section 8. Information regarding waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid the formation and deposition of dust. Provide exhaust ventilation if dust is formed. Ensure adequate ventilation. Handle and open container with care. Provide suitable exhaust ventilation at the processing machines. Use breathing

Trade name: Kalkfarbe Kristall-Echtgrün

Print date: 20.07.23

Version: 7 / DE

Date revised: 23.05.2023

Replaces Version: 6 / DE

apparatus when transferring large quantities without exhaust ventilation facilities. If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Observe the usual precautions for handling chemicals.

Advice on protection against fire and explosion

Avoid dust formation. Take action to prevent static discharges. Earthing necessary during loading operations. Keep away from sources of heat and ignition. Dust can form an explosive mixture with air. Do not smoke.

7.2. Conditions for safe storage, including any incompatibilities

Hints on storage assembly

Do not store together with foodstuffs. Do not store together with: Oxidising agents, Acids

Further information on storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from direct sunlight. Protect from extreme heat and cold.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limit values

Calcium fluoride

List 2000/39/EC
 Type Indicative Occupational Exposure Limit (EU)
 Value 2,5 mg/m³

Remarks: Fluorides, inorganic

Calcium fluoride

List TRGS 900
 Value 1 mg/m³

Maximum limit value: 4(II); Skin resorption / sensibilisation: H; Pregnancy group: Y; Status: 12/2007; Remarks: EU, DFG

Quartz

Type MAK
 Value 0,05 mg/m³

Maximum limit value: 8; Status: DGUV 2017; Remarks: Alveolengängige Fraktion, TRGS 559, TRGS-Beurteilungsmaßstab

Biological limit values

Calcium fluoride

List TRGS 903
 Value 7,0 mg/g creatinine

Parameter Fluoride
 Testing material Urine (U)
 Test date End of exposure or end of shift (b)

Calcium fluoride

List TRGS 903
 Value 4,0 mg/g creatinine

Parameter Fluoride
 Testing material Urine (U)
 Test date Before next shift (d)

Other information

The national general dust limit must be observed.
 TRGS 900: Observe the general dust threshold.

8.2. Exposure controls

General protective and hygiene measures

Do not inhale dust/fumes/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Wash hands before breaks and after work. Use barrier skin cream. Observe the usual precautions for handling chemicals. Take off immediately all contaminated clothing.

Respiratory protection

If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Particle filter P2; Use breathing apparatus in dust-laden atmosphere.

Hand protection

Trade name: Kalkfarbe Kristall-Echtgrün

Print date: 20.07.23

Version: 7 / DE

Date revised: 23.05.2023

Replaces Version: 6 / DE

Protective gloves

Observe the information of the glove manufacturers on permeability and breakthrough times and other workplace requirements.

Eye protection

Safety glasses with side protection shield

Body protection

Clothing as usual in the chemical industry.

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state	Powder
Colour	see tradename
Odour	characteristic
Melting point	
Remarks	not determined
Freezing point	
Remarks	not determined
Boiling point or initial boiling point and boiling range	
Remarks	not determined
Flammability	
Remarks	not determined
Upper and lower explosive limits	
Remarks	not determined
Flash point	
Remarks	Not applicable
Ignition temperature	
Remarks	not determined
Decomposition temperature	
Remarks	not determined
pH value	
Remarks	not determined
Solubility(ies)	
Remarks	not determined
Partition coefficient n-octanol/water (log value)	
Remarks	not determined
Vapour pressure	
Remarks	not determined
Density and/or relative density	
Remarks	not determined
Relative vapour density	
Remarks	not determined
Particle characteristics	
Remarks	not determined
9.2. Other information	
Odour threshold	
Remarks	not determined
Evaporation rate (ether = 1) :	
Remarks	not determined
Solubility in water	
Remarks	not determined
Explosive properties	
evaluation	not determined
Oxidising properties	
Remarks	not determined

Trade name: Kalkfarbe Kristall-Echtgrün

Print date: 20.07.23

Version: 7 / DE

Date revised: 23.05.2023

Replaces Version: 6 / DE

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reactions when stored and handled according to prescribed instructions.

10.2. Chemical stability

No hazardous reactions known.

10.3. Possibility of hazardous reactions

No hazardous reactions known.

10.4. Conditions to avoid

Static charges. Dust can form an explosive mixture with air. Avoid all sources of ignition: heat, sparks, open flame.

Decomposition temperature

Remarks not determined

10.5. Incompatible materials

Reactions with strong oxidising agents. Reactions with strong alkalies. Reducing agents, Acids

10.6. Hazardous decomposition products

Barium oxides, sulphurous oxides (SO_x), nitrous oxides (NO_x), Chlorine compounds

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Remarks Based on available data, the classification criteria are not met.

Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Remarks Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Remarks Based on available data, the classification criteria are not met.

Sensitization

Remarks Based on available data, the classification criteria are not met.

Subacute, subchronic, chronic toxicity

Remarks not determined
 Remarks Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.
 Remarks Frequent persistent contact with the skin can cause skin irritation.
 Remarks Like any foreign body, particles (dust) can cause mechanical irritation.

Mutagenicity

Remarks Based on available data, the classification criteria are not met.

Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity (STOT)

Single exposure

Remarks Based on available data, the classification criteria are not met.

Repeated exposure

Remarks Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties with respect to humans

No data available

Trade name: Kalkfarbe Kristall-Echtgrün

Print date: 20.07.23

Version: 7 / DE

Date revised: 23.05.2023

Replaces Version: 6 / DE

Other information

No toxicological data are available.

SECTION 12: Ecological information

12.1. Toxicity

General information

not determined

12.2. Persistence and degradability

General information

not determined

Biodegradability

Remarks not determined

12.3. Bioaccumulative potential

General information

not determined

Partition coefficient n-octanol/water (log value)

Remarks not determined

12.4. Mobility in soil

General information

not determined

12.5. Results of PBT and vPvB assessment

General information

not determined

Results of PBT and vPvB assessment

This substance/mixture does not contain components classified as persistent, bioaccumulative and toxic (PBT) at levels of 0.1% or higher.

This substance/mixture does not contain components classified as very persistent and very bioaccumulative (vPvB) at concentrations of 0.1% or higher.

12.6 Endocrine disrupting properties

Endocrine disrupting properties with respect to the environment

No data available

12.7. Other adverse effects

General information

not determined

General information / ecology

Ecological data are not available. Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations for the product

Product should be taken to a suitable and authorized waste disposal site in accordance with relevant regulations and if necessary after consultation with the waste disposal operator and/or the competent Authorities.

Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off as product waste.
Uncontaminated packaging may be taken for recycling.

SECTION 14: Transport information

Land transport ADR/RID

The product does not constitute a hazardous substance in land transport.

Marine transport IMDG/GGVSee

The product does not constitute a hazardous substance in sea transport.

Trade name: Kalkfarbe Kristall-Echtgrün

Print date: 20.07.23

Version: 7 / DE

Date revised: 23.05.2023

Replaces Version: 6 / DE

Air transport ICAO/IATA

The product does not constitute a hazardous substance in air transport.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Water Hazard Class (Germany)

Water Hazard Class (Germany) Not water hazardous
Remarks Derivation of WGK according to Annex 1 No. 5.2 AwSV

Other regulations, restrictions and prohibition regulations

One or more substances contained are listed in Appendix 13 to Regulation (EC) 1907/2006, Annex XVII, Entry 75.

15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

SECTION 16: Other information

Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route
AGW: Arbeitsplatzgrenzwert
AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances that are hazardous to water)
BGW: Biologischer Grenzwert
CAS: Chemical Abstracts Service
DNEL: Derived no effect level
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
GGVSee: Gefahrgutverordnung See
IARC: International Agency for Research on Cancer
IATA: International Air Transport Association
ICAO: International Civil Aviation Organization
IMDG: International Maritime Code for Dangerous Goods
LC: Lethal concentration
LD: Lethal dose
MAK: Maximale Arbeitsplatz-Konzentration
NOEC: No observable effect concentration
NOEL: No observable effect level
OECD: Organisation for Economic Co-operation and Development
OEL: Occupational exposure limit
PBT: Persistent, Bioaccumulative and Toxic
PNEC: Predicted no effect concentration
RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses
TRGS: Technische Regeln für Gefahrstoffe
VDI: Verein Deutscher Ingenieure
VLEP: Valeurs Limites d'exposition Professionnelle
vPvB: Very persistent and very bioaccumulative
WGK: Wassergefährdungsklasse (water hazard class)

Supplemental information

These data is based on our present knowledge and experience respectively supplier-information. This safety data sheet describes the product in regard to the requirements of safety. The information does not represent an assurance for certain properties. Existing laws and regulations are to be observed by the recipient of our products in own responsibility. It is the responsibility of the user, to determine if the product is suitable for the deliberate operational area and the respective intended purpose. A liability for damages in connection with the use of this information is excluded. Relevant changes compared with the previous version of the safety data sheet are marked with: ***