

# SAFETY DATA SHEET

info@deffner-johann.de | +49 9723 9350-0

Die in diesem Produktdatenblatt genannten Spezifikationen dienen nur zur Produktbeschreibung und beziehen sich auf den Zeitpunkt unmittelbar nach der Produktion bzw. Import des Produktes. Sie entsprechen den Angaben des Herstellers. Eine rechtsverbindliche Zusicherung bestimmter Eigenschaften oder der Eignung für einen bestimmten Einsatzzweck kann hieraus nicht abgeleitet werden. Durch unsachgemäßen Transport und / oder unsachgemäße Lagerung können sich Änderungen ergeben. Die Angaben in diesem Produktdatenblatt entbinden den Verarbeiter nicht von eigener Prüfung der Eigenschaften des Produktes und dessen Eignung für die vorgesehene Verwendung.

According to regulation (EC) No. 1907/2006 (REACH)



1405 000 1405 120

# Lead White (Kremser White), contains lead, toxic, lightfast

Page

1

Revised edition: 04.05.2021 Version: 3 Printed: 04.05.2021

### 1. Identification of the Substance/Mixture and of the Company/Undertaking

1. 1. Product Identifier

Product Name: Lead White (Kremser White)

Article No.: 1405 000, 1405 120

1. 2. Relevant identified Uses of the Substance or Mixture and Uses advised against

Identified uses:

Paint additive

Uses advised against:

1. 3. Details of the Supplier of the Safety Data Sheet (Producer/Importer)

Company: Deffner & Johann GmbH

Address: Mühläckerstraße 13, D-97520 Röthlein, Germany

Tel./Fax.: Tel. +49 9723 9350-0, Fax +49 9723 9350-25

Internet: www.deffner-johann.de

EMail: E-Mail info@deffner-johann.de

Importer:

1. 4. Emergency No. Tel. +49 9723 9350-0 (Mo. - Fr.: 8:00 - 15:00 Uhr)

Emergency No.:

1. 4. 2 Poison Center:

### 2. Hazards Identification

### 2. 1. Classification of the Substance or Mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

Acute toxicity (oral), hazard category 4
Acute toxicity (inhalation), hazard category 4
Reproductive toxicity, hazard category 1A

Specific target organ toxicity (repeated exposure), hazard category

2

Hazardous to the aquatic environment, chronic category 1

H302 Harmful if swallowed.

Cat.: 4

H332 Harmful if inhaled.

Cat.: 4

H360Df May damage the unborn child. Suspected of damaging fertility.

Cat.: 1A

H373 May cause damage to organs through prolonged or repeated

Cat.: 2 exposure.

H410 Very toxic to aquatic life with long lasting effects.

Cat.: 1

Possible Environmental Effects:

See Section 12.

### 2. 2. Label Elements

Classification according to Regulation

According to regulation (EC) No. 1907/2006 (REACH)



1405 000 1405 120

## Lead White (Kremser White), contains lead, toxic, lightfast

Page 2

Revised edition: 04.05.2021 Version: 3 Printed: 04.05.2021

(EC) No. 1272/2008 (CLP/GHS)

Hazard designation:



GHS07



GHS08-2



GHS09

Signal word:

Danger

Hazard designation:

H302 Harmful if swallowed. H332 Harmful if inhaled.

H360Df May damage the unborn child. Suspected of damaging fertility.
H373 May cause damage to organs through prolonged or repeated

exposure.

H410 Very toxic to aquatic life with long lasting effects.

EUH201/201A Warning contains lead! Should not be used on surfaces liable to

be chewed or sucked by children.

Safety designation:

P201 Obtain special instructions before use.
P273 Avoid release to the environment.

P301+P312 If swallowed: Call a poison center or physician if you feel unwell.
P304+P340 If inhaled: Remove victim to fresh air and keep at rest in a position

comfortable for breathing.

P308+P313 If exposed or concerned: Get medical advice/attention.
P312 Call a poison center or physician if you feel unwell.

Hazardous components for labelling:

### 2. 3. Other Hazards

## 3. Composition/Information on Ingredients

### 3. 1. Substance

### 3. 2. Mixture

Chemical Characterization: Lead carbonate, synth. Cerrusite

Information on Components / Hazardous

Ingredients:

Lead(II) carbonate (Repr.1A; H302-332-360DF-

373-410)

100 % CAS-Nr: 598-63-0 EINECS-Nr: 209-943-4

EC-Nr: 082-001-00-6

Additional information:

According to regulation (EC) No. 1907/2006 (REACH)



1405 000 1405 120

## Lead White (Kremser White), contains lead, toxic, lightfast

Page 3

Revised edition: 04.05.2021 Version: 3 Printed: 04.05.2021

### 4. First Aid Measures

### 4. 1. Description of the First Aid Measures

General information:

Intoxication symptoms may occur after several hours, therefore a

48 hour medical observation is necessary.

After inhalation:

In case of unconsciousness place patient stable in side position for

transportation.

After skin contact:

Wash with soap and rinse with plenty of water.

If symptoms persist, consult a physician.

Remove contaminated clothing.

After eye contact:

Rinse open eye for several minutes under running water.

Consult a physician.

After ingestion:

Immediately get medical help.

Rinse mouth thoroughly with plenty of water and drink plenty of

water. Consult a physician.

### 4. 2. Most important Symptoms and Effects, both Acute and Delayed

Symptoms:

No further information available.

Effects:

No further information available.

### 4. 3. Indication of any Immediate Medical Attention and special Treatment needed

Treatment:

Treat symptomatically.

### 5. Fire-Fighting Measures

### 5. 1. Extinguishing Media

Suitable extinguishing media:

Product itself does not burn.

Use extinguishing media for surrounding fire.

Unsuitable extinguishing media:

Water with full jet.

### 5. 2. Special Hazards arising from the Substance or Mixture

Special hazards:

In case of fire: formation of carbon oxides and smoke.

When heated or in case of fire: formation of hazard fumes


possible.

### 5. 3. Advice for Firefighters

Protective equipment:

Wear self-contained respiratory protective device.

According to regulation (EC) No. 1907/2006 (REACH)



1405 000 1405 120

## Lead White (Kremser White), contains lead, toxic, lightfast

Page

Revised edition: 04.05.2021 Version: 3 Printed: 04.05.2021

Further information:

Avoid contamination of sewage system, open water ways and ground water.

Collect contaminated extinguishing water and debris separately;

avoid contamination of sewage system.

### 6. Accidential Release Measures

### 6. 1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal precautions:

Ensure adequate ventilation.

Avoid formation of dust.

Respiratory protection in case of formation of vapors/dust/aerosol.

6. 2. Environmental Precautions

Environmental precautions:

Prevent contamination of soils, drains and surface water.

Contact local authorities if product pollutes soil or vegetation.

6. 3. Methods and Material for Containment and Cleaning Up

Methods and material:

Take up mechanically and collect in suitable containers for

disposal.

Label as lead compound.

6. 4. Reference to other Sections

Dispose of contaminated material according to Section 13.

For information for safe handling see Section 7.

Protective clothing, see Section 8.

## 7. Handling and Storage

### 7. 1. Precautions for Safe Handling

Instructions on safe handling:

Provide adequate ventilation.

Avoid formation and deposition of dust. Provide adequate

ventilation.

Hygienic measures:

Keep away from foodstuffs and drinks.

### 7. 2. Conditions for Safe Storage, including any Incompatibilities

Storage conditions:

Store in tightly sealed containers in a dry and cool room.

Requirements for storage areas and

containers:

Open and handle container with care.

The containers should be durably labelled.

Information on fire and explosion

protection:

Take measures to prevent electrostatic discharge.

Keep breathing apparatus available.

Do not store together with: foodstuffs and animal feed.

According to regulation (EC) No. 1907/2006 (REACH)

# deffner & Johann

1405 000 1405 120

## Lead White (Kremser White), contains lead, toxic, lightfast

Page 5

Revised edition: 04.05.2021 Version: 3 Printed: 04.05.2021

Do not store together with: oxidants and acidic products.

Storage class:

6.1 D; Non combustible, acute toxic cat. 3 / toxic products (TRGS

510)

Further Information:

Store in a dry place.

7. 3. Specific End Use(s)

Further information:

### 8. Exposure Controls/Personal Protection

### 8. 1. Parameters to be Controlled

Parameters to be controlled (DE):

Lead and its compounds (calc. as Pb) except lead arsenate, lead

chromate and alkyl lead compounds.

Lead and its compounds: 0.1 mg/m3 (8h)

Parameters to be controlled:

Lead and its compounds: 0.15 mg/m3 (UK, Control of Lead at

Work Regulations (CLAW 2002); BE; HU; ES; IT)

Derived No-Effect Level (DNEL):

Predicted No-Effect Concentration

(PNEC):

Additional Information:

### 8. 2. Exposure Controls

Technical protective measures:

No further measures, see Section 7.

Personal Protection

General protective measures:

Keep away from foodstuffs and drinks. Do not eat, drink or smoke

during work. Wash hands before breaks and at the end of work.

Store protective clothing separately.

Do not inhale dust.

Respiratory protection:

Dust mask recommended when very dusty (with particle filter P3).

Hand protection:

Protective gloves. The glove material has to be impermeable and

resistant to the product / substance / preparation.

Protective glove material:

Chloroprene rubber (CR), nitrile rubber (NBR), butyl rubber, fluoro

carbon rubber (FKM), polyvinyl chloride (PVC).

Rinse off and remove gloves immediately after use. Wash hands

with soap and water.

Eye protection:

Safety glasses with protective shields (EN 166).

Body protection:

According to regulation (EC) No. 1907/2006 (REACH)

# deffner & Johann

1405 000 1405 120

# Lead White (Kremser White), contains lead, toxic, lightfast

Page 6

Revised edition: 04.05.2021 Version: 3 Printed: 04.05.2021

Protective clothing.

Environmental precautions:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable

levels.

Prevent from getting into the soil, surface water and sewage

system.

### 9. **Physical and Chemical Properties**

#### 9.1. Information on Basic Physical and Chemical Properties

Form: powder

Color: white

Odor: odorless

Odor threshold:

no information available

pH-Value: 6.80 (20°C)

Melting temperature: 315 °C

Boiling temperature: 220°C

Flash point:

not applicable

Evaporation rate:

No information available.

Flammability (solid, gas):

not available

Upper explosion limit:

no information available

Lower explosion limit:

no information available

Vapor pressure:

not applicable

Vapor density:

No information available.

Density: 6.6 g/cm3 (20°C)

Solubility in water: practically insoluble

Coefficient of variation (n-

Octanol/Water):

no information available

Auto-ignition temperature:

not applicable

According to regulation (EC) No. 1907/2006 (REACH)



7

1405 000 1405 120

## Lead White (Kremser White), contains lead, toxic, lightfast

Page Revised edition: 04.05.2021 Version: 3 Printed: 04.05.2021 315°C Decomposition temperature: Viscosity, dynamic: not applicable Explosive properties: Product does not present an explosion hazard. Oxidizing properties: no information available Bulk density: > 2.0 kg/m3 9. 2. **Further Information** Solubility in solvents: Viscosity, kinematic: Burning class: Solvent content: Solid content: Particle size: Other information: No further information. 10. Stability and Reactivity 10.1. Reactivity Stable if used according to specifications. 10.2. **Chemical Stability** Stable if used according to specifications. 10.3. **Possibility of Hazardous Reactions** Reacts with acids, bases and organic substances. 10.4. **Conditions to Avoid** Conditions to avoid: No further information available. Thermal decomposition: Avoid heat. 10.5. **Imcompatible Materials** Strong oxidizing agents (e.g. hydrogen peroxide, chromic acid) Strong acids and bases: release of lead(II) ions. 10.6. **Hazardous Decomposition Products** Lead oxide 10.7. **Further Information** 11. **Toxicological Information** 11.1. Information on Toxicological Effects Acute Toxicity LD50, oral: > 2000 mg/kg (rat)

According to regulation (EC) No. 1907/2006 (REACH)



1405 000 1405 120

# Lead White (Kremser White), contains lead, toxic, lightfast

Page 8
Printed: 04.05.2021

Revised edition: 04.05.2021 Version: 3 LD50, dermal: No information available. LC50, inhalation: No information available. Primary effects Irritant effect on skin: No information available Irritant effect on eyes: No information available. Inhalation: No information available. Ingestion: No information available Sensitization: No relevant data found. Mutagenicity: No relevant data found. Reproductive toxicity: Toxic for reproduction. May impair fertility. May cause harm to the unborn child. Carcinogenicity: No relevant data found. Teratogenicity: No information available. Specific target organ toxicity (STOT): No relevant data found. Additional toxicological information:

### 12. Ecological Information

### 12. 1. Aquatic Toxicity

No information available.

Lead compounds are heavy soluble compounds, however, lead

particles dissolve in hydrochloric acid in gastric fluids concentration and may accumulate in the body.

Fish toxicity:

Daphnia toxicity:

Bacteria toxicity:

Algae toxicity:

### 12. 2. Persistency and Degradability

No information available.

12. 3. Bioaccumulation

No information available.

According to regulation (EC) No. 1907/2006 (REACH)



1405 000 1405 120

## Lead White (Kremser White), contains lead, toxic, lightfast

Page 9 Revised edition: 04.05.2021 Version: 3 Printed: 04.05.2021 12. 4. Mobility No information available. 12. 5. Results of PBT- und vPvP Assessment Not applicable. 12. 6. Other Adverse Effects Water hazard class: 3. hazardous Do not let product contaminate ground water, waterways or sewage system. Danger to drinking water even if small quantities leak into the ground. Behaviour in sewage systems: Further ecological effects: AOX Value: 13. **Disposal Considerations** 13. 1. **Waste Treatment Methods** Product: If product cannot be reused or recycled, it has to be disposed of according to current local regulations. Do not incinerate waste containing lead dioxide. European Waste Code (EWC): Uncleaned packaging: Contaminated packaging must be disposed like the substance. Waste Code No.: 14. **Transport Information** 14. 1. **UN Number** ADR, IMDG, IATA 3077 14. 2. **UN Proper Shipping Name** UMWELGEFÄHRDENDER STOFF, FEST, N.A.G. (Tribleibis ADR/RID: (carbonat) Dihydroxid) IMDG/IATA: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Trilead bis(carbonate) dihydroxide) 14.3. **Transport Hazard Classes** ADR Class: 9 Hazard no.: 9 Classification code: M7 Tunnel restriction code: IMDG Class (sea): 9 Hazard no.: EmS No.: F-A, S-F

According to regulation (EC) No. 1907/2006 (REACH)

# deffner & Johann

1405 000 1405 120

## Lead White (Kremser White), contains lead, toxic, lightfast

			Page	10
Revised edition: 04.05.2021		Version: 3	Printed:	04.05.2021
	IATA Class:	9		
	Hazard no.:	9		
14. 4.	Packaging Group			
	ADR/RID:	III		
	IMDG:	III		
	IATA:	III		
14. 5.	Environmental Hazards			
		Labelling according 5.2.1.8 ADR/RID: fish and tree		
		Labelling according 5.2.1.6.3 IMDG: fish and tree		
		Labelled with "P" according 2	.10 IMDG: yes	
14. 6.	Special Precautions for User			
		Warning: various dangerous	materials and products.	
14. 7.	Transportation in Bulk according to Annex II of MARPOL 73/78 and IBC-Code			
		IMDG: not applicable		
14. 8.	Further Information			
		Special Provision: 274, 335, 3	375, 601	
		Non hazardous goods (Class <= 5 kg.	9) when transported in s	sizes <= 5 l or
15.	Regulatory Information			

#### 15. Regulatory Information

### 15. 1. Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture

Water hazard class:

3, very hazardous for water (German Regulation)

Local regulations on chemical accidents:

Environmentally hazardous (9a); Amount 1: 100 t; Amount 2: 200 t

Employment restrictions:

The employment restrictions for young workers in accordance with the Youth Employment Protection Law are to be observed.

The employment restrictions for women in child-bearing age are to

be observed (§§4 and 5 MuSchRiV).

Restriction and prohibition of application:

Not permitted for private consumers (Chemicals Prohibition

Directive).

EC. REACH, Section XVII, Restrictions on the Manufacture, Placing on the Market and Use of Certain Dangerous Substances,

Preparations and Articles, Registered no. 16

Restricted to professional users (TRSG 200, No. 6.9). EC. REACH, Section XVII, Restrictions on the Manufacture, Placing on the Market and Use of Certain Dangerous Substances,

Preparations and Articles, Registered no. 28, 29, 30.

Use in paints restricted to artists colors and specific restoration

work on historic buildings.

Technical instructions on air quality:

5.2.2.: Inorganic dust, classification II

#### 15. 2. **Chemical Safety Assessment**

A Chemical Safety Assessment has not been carried out for this next page: 11

According to regulation (EC) No. 1907/2006 (REACH)



1405 000 1405 120

# Lead White (Kremser White), contains lead, toxic, lightfast

Page 11

Revised edition: 04.05.2021 Version: 3 Printed: 04.05.2021

product.

15. 3. Further Information

Category: E1: Hazardous to the aquatic environment - acute 1 or

chronic 1; C9i: Very toxic for the environment

16. Other Information

This product should be stored, handled and used in accordance with good hygiene practices and in conformity with any legal regulations. This information contained herein is based on the present state of knowledge and is intended to describe our product from the point of view of safety requirements. It should be therefore not be construed as guaranteeing specific properties.