

SAFETY DATA SHEET

info@deffner-johann.de | +49 (0)9723 9350-0

Die in diesem Produktdatenblatt genannten Spezifikationen dienen nur zur Produktbeschreibung und beziehen sich auf den Zeitpunkt unmittelbar nach der Produktion bzw. Import des Produktes. Sie entsprechen den Angaben des Herstellers. Eine rechtsverbindliche Zusicherung bestimmter Eigenschaften oder der Eignung für einen bestimmten Einsatzzweck kann hieraus nicht abgeleitet werden. Durch unsachgemäßen Transport und / oder unsachgemäße Lagerung können sich Änderungen ergeben. Die Angaben in diesem Produktdatenblatt entbinden den Verarbeiter nicht von eigener Prüfung der Eigenschaften des Produktes und dessen Eignung für die vorgesehene Verwendung.

ade name: Kadmiumgelb mittel					Print date: 02.03.20	
-		Version:	7 / DE	I	Date revised:	24.05.20 ⁻
		Replaces	Version: -/DE	E		
ECTION 1: Identification o	f the substance/	mixture and of t	he company/u	ndertaking		
1.1. Product identifier						
Kadmiumgelb mittel						
1.2. Relevant identified us	es of the substand	ce or mixture and	uses advised ag	gainst		
Use of the substance/prep	paration					
artists' pigments, Prohibit	ions and Restriction	is, see section 15.				
1.3. Details of the supplie	of the safety data	sheet				
Adresse:						
Deffner & Johann Gm	bH					
Mühläckerstraße 13						
D-97520 Röthlein Tel.:	+49 (0) 9723 9	350.0				
Fax:	+49 (0) 9723 9					
E-Mail-Adresse:	info@deffner-j					
			7 00 45 00 1			
1.4 Notfall-Nummer:	+49(0)9/239	9350-0 (Mo. – Fr.	/:30 - 15:00 U	inr)		
ECTION 2: Hazards idention 2.1. Classification of the s This product is not classif	ication *** ubstance or mixtu	ire				
2.1. Classification of the sThis product is not classif2.2. Label elements	ication *** ubstance or mixtu ied hazardous in ac	re cordance with Reg	ulation (EC) No 1	1272/2008.		
2.1. Classification of the s This product is not classif	ication *** ubstance or mixtu ied hazardous in ac to be indicated on	re cordance with Reg label (Regulation	ulation (EC) No 1	1272/2008. 2 008)		
 2.1. Classification of the s This product is not classif 2.2. Label elements Hazardous component(s) Supplemental information 	ication *** ubstance or mixtu ied hazardous in ac to be indicated on	re cordance with Reg label (Regulation	ulation (EC) No 1	1272/2008. 2 008)		
 2.1. Classification of the s This product is not classif 2.2. Label elements Hazardous component(s) Supplemental information EUH210 	ication *** ubstance or mixtu ied hazardous in ac to be indicated on *** lungs- and renal-fun i industry about the	ire cordance with Reg label (Regulation Safety data she nction. A guideline	ulation (EC) No 1 (EC) No. 1272/2 et available on re from the institutio	1272/2008. 2 008) quest.		
 2.1. Classification of the s This product is not classif 2.2. Label elements Hazardous component(s) Supplemental information EUH210 2.3. Other hazards Free cadmium may harm prevention in the chemica 	ication *** ubstance or mixtu ied hazardous in ac to be indicated on *** lungs- and renal-fu il industry about the gas.	re cordance with Reg label (Regulation Safety data she nction. A guideline handling with cadr	ulation (EC) No 1 (EC) No. 1272/2 et available on re from the institutio	1272/2008. 2 008) quest.		
 2.1. Classification of the s This product is not classif 2.2. Label elements Hazardous component(s) Supplemental information EUH210 2.3. Other hazards Free cadmium may harm prevention in the chemica with acids liberates toxic 	ication *** ubstance or mixtu ied hazardous in ac to be indicated on *** lungs- and renal-fu il industry about the gas.	re cordance with Reg label (Regulation Safety data she nction. A guideline handling with cadr	ulation (EC) No 1 (EC) No. 1272/2 et available on re from the institutio	1272/2008. 2 008) quest.		
 2.1. Classification of the s This product is not classif 2.2. Label elements Hazardous component(s) Supplemental information EUH210 2.3. Other hazards Free cadmium may harm prevention in the chemica with acids liberates toxic ECTION 3: Composition/ir 	ication *** ubstance or mixtu ied hazardous in ac to be indicated on *** lungs- and renal-fun l industry about the gas.	re cordance with Reg label (Regulation Safety data she nction. A guideline handling with cadr	ulation (EC) No 1 (EC) No. 1272/2 et available on re from the institutio	1272/2008. 2 008) quest.		
 2.1. Classification of the s This product is not classif 2.2. Label elements Hazardous component(s) Supplemental information EUH210 2.3. Other hazards Free cadmium may harm prevention in the chemica with acids liberates toxic ECTION 3: Composition/ir 3.2. Mixtures Chemical characterization pigment mixture, inorgani 	ication *** ubstance or mixtu ied hazardous in ac to be indicated on *** lungs- and renal-fun i industry about the gas. formation on ing c construction	re cordance with Reg label (Regulation Safety data she nction. A guideline handling with cadr	ulation (EC) No 1 (EC) No. 1272/2 et available on re from the institutio	1272/2008. 2 008) quest.		
 2.1. Classification of the s This product is not classif 2.2. Label elements Hazardous component(s) Supplemental information EUH210 2.3. Other hazards Free cadmium may harm prevention in the chemica with acids liberates toxic ECTION 3: Composition/ir 3.2. Mixtures Chemical characterization pigment mixture, inorgani contains Cadmium-pigment cadmium sulfoselenide res 	ication *** ubstance or mixtu ied hazardous in ac to be indicated on *** lungs- and renal-fun l industry about the gas. formation on ing c construction	re cordance with Reg label (Regulation Safety data she nction. A guideline handling with cad gredients	ulation (EC) No 1 (EC) No. 1272/2 et available on re from the institution mium-pigments ca	1272/2008. 2 008) quest. on for statutor an be inquired	d. Dust loading. (Contact
 2.1. Classification of the s This product is not classif 2.2. Label elements Hazardous component(s) Supplemental information EUH210 2.3. Other hazards Free cadmium may harm prevention in the chemica with acids liberates toxic ECTION 3: Composition/ir 3.2. Mixtures Chemical characterization pigment mixture, inorgani contains Cadmium-pigment 	ication *** ubstance or mixtu- ied hazardous in ac to be indicated on *** lungs- and renal-fun i industry about the gas. formation on ing c construction ints id, Pigment Red 108	re cordance with Reg label (Regulation Safety data she nction. A guideline handling with cad gredients 8, CAS 58339-34-7	(EC) No 1 (EC) No. 1272/2 et available on re from the institution mium-pigments ca	1272/2008. 2008) quest. on for statutor an be inquired	d. Dust loading. (Ition no. 01-2119	20ntact 981636-
 2.1. Classification of the s This product is not classif 2.2. Label elements Hazardous component(s) Supplemental information EUH210 2.3. Other hazards Free cadmium may harm prevention in the chemica with acids liberates toxic ECTION 3: Composition/ir 3.2. Mixtures Chemical characterization pigment mixture, inorgani contains Cadmium-pigment cadmium sulfoselenide re 24-XXXX and/or cadmium sulfosele 	ication *** ubstance or mixtu- ied hazardous in ac to be indicated on *** lungs- and renal-fun l industry about the gas. formation on ing c construction ints id, Pigment Red 108 enide orange, Pigme	re cordance with Reg label (Regulation Safety data she nction. A guideline handling with cad gredients 8, CAS 58339-34-7 ent Orange 20, CAS	ulation (EC) No 1 (EC) No. 1272/2 et available on re from the institution mium-pigments ca 7, EINECS 261-21 S 12656-57-4, EII	1272/2008. 2008) quest. on for statutor an be inquired 18-1, Registra NECS 235-75	d. Dust loading. (ition no. 01-2119 i8-3, Registratior	981636- 1 no. 01-
 2.1. Classification of the s This product is not classif 2.2. Label elements Hazardous component(s) Supplemental information EUH210 2.3. Other hazards Free cadmium may harm prevention in the chemica with acids liberates toxic ECTION 3: Composition/ir 3.2. Mixtures Chemical characterization pigment mixture, inorgani contains Cadmium-pigme cadmium sulfoselenide re 24-XXXX and/or cadmium sulfosele 2119981636-24-XXXX 	ication *** ubstance or mixtu- ied hazardous in ac to be indicated on *** lungs- and renal-fun l industry about the gas. formation on ing c construction ints d, Pigment Red 108 enide orange, Pigment ide yellow, Pigment	re cordance with Reg a label (Regulation Safety data she nction. A guideline handling with cad gredients 8, CAS 58339-34-7 ent Orange 20, CAS Yellow 35, CAS 80	(EC) No. 1272/2 et available on re from the institution mium-pigments ca 5 12656-57-4, EII 048-07-5,EINECS	1272/2008. 2008) quest. on for statutor an be inquired 18-1, Registra NECS 235-75 5 232-466-8, F	d. Dust loading. (ition no. 01-2119 i8-3, Registration Registration no	981636- 1 no. 01- 01-
 2.1. Classification of the s This product is not classification 2.2. Label elements Hazardous component(s) Supplemental information EUH210 2.3. Other hazards Free cadmium may harm prevention in the chemication with acids liberates toxic ECTION 3: Composition/ir 3.2. Mixtures Chemical characterization pigment mixture, inorganic contains Cadmium-pigment cadmium sulfoselenide re 24-XXXX and/or cadmium sulfoseles 2119981636-24-XXXX 	ication *** ubstance or mixtu- ied hazardous in ac to be indicated on *** lungs- and renal-fun i industry about the gas. formation on ing c construction ints d, Pigment Red 108 enide orange, Pigment ide yellow, Pigment are explicitly exem	re cordance with Reg a label (Regulation Safety data she nction. A guideline handling with cad gredients 8, CAS 58339-34-7 ent Orange 20, CAS Yellow 35, CAS 80 opt from the harmon	(EC) No. 1272/2 et available on re from the institution mium-pigments ca 5 12656-57-4, EII 048-07-5,EINECS	1272/2008. 2008) quest. on for statutor an be inquired 18-1, Registra NECS 235-75 5 232-466-8, F	d. Dust loading. (ition no. 01-2119 i8-3, Registration Registration no	981636- 1 no. 01- 01-
 2.1. Classification of the s This product is not classification of the s This product is not classification of the s 2.2. Label elements Hazardous component(s) Supplemental information EUH210 2.3. Other hazards Free cadmium may harm prevention in the chemication of the chemication in the chemication in the chemication of the chemica	ication *** ubstance or mixtu- ied hazardous in ac to be indicated on *** lungs- and renal-fun i industry about the gas. formation on ing c construction ints d, Pigment Red 108 enide orange, Pigment ide yellow, Pigment are explicitly exem	re cordance with Reg a label (Regulation Safety data she nction. A guideline handling with cad gredients 8, CAS 58339-34-7 ent Orange 20, CAS Yellow 35, CAS 80 opt from the harmon	(EC) No. 1272/2 et available on re from the institution mium-pigments ca 5 12656-57-4, EII 048-07-5,EINECS	1272/2008. 2008) quest. on for statutor an be inquired 18-1, Registra NECS 235-75 5 232-466-8, F	d. Dust loading. (ition no. 01-2119 i8-3, Registration Registration no	981636- 1 no. 01- 01-
 2.1. Classification of the s This product is not classification of the s This product is not classification of the set of the set	ication *** ubstance or mixtu- ied hazardous in ac to be indicated on *** lungs- and renal-fun i industry about the gas. formation on ing c construction ints d, Pigment Red 108 enide orange, Pigment ide yellow, Pigment are explicitly exem	re cordance with Reg a label (Regulation Safety data she nction. A guideline handling with cad gredients 8, CAS 58339-34-7 ent Orange 20, CAS Yellow 35, CAS 80 opt from the harmon	(EC) No. 1272/2 et available on re from the institution mium-pigments ca 5 12656-57-4, EII 048-07-5,EINECS	1272/2008. 2008) quest. on for statutor an be inquired 18-1, Registra NECS 235-75 5 232-466-8, F	d. Dust loading. (ition no. 01-2119 i8-3, Registration Registration no	981636- 1 no. 01- 01-

Trade name: Kadmiumgelb mittel

Version: 7 / DE

Print date: 02.03.20

Date revised: 24.05.2019

Replaces Version: - / DE

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of persistent symptoms consult doctor.

After inhalation

Remove the casualty into fresh air and keep him calm. In the event of symptoms take medical treatment.

After skin contact

Wash off immediately with soap and water. Consult a doctor if skin irritation persists.

After eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical advice immediately.

After ingestion

Rinse mouth thoroughly with water. Call in a physician immediately and show him the Safety Data Sheet.

Adhere to personal protective measures when giving first aid

First aider: Pay attention to self-protection!

4.2. Most important symptoms and effects, both acute and delayed

Until now no symptoms known so far.

4.3. Indication of any immediate medical attention and special treatment needed

Hints for the physician / treatment

Treat symptomatically

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Foam, Carbon dioxide, Extinguishing measures to suit surroundings

Non suitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

In the event of fire the following can be released: Poisonous metal oxides; Sulphur oxides; Irritant and harmful combustion products.

5.3. Advice for firefighters

Special protective equipment for fire-fighting

Use self-contained breathing apparatus. Wear full protective suit.

Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove persons to safety. Avoid dust formation. Do not inhale dust. Use breathing apparatus if exposed to vapours/dust/aerosol. Ensure adequate ventilation. High risk of slipping due to leakage/spillage of product. Avoid contact with skin, eyes and clothing. Use personal protective clothing. Refer to protective measures listed in Sections 7 and 8.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil. In case the product spills into sewage waters, immediately inform the authorities. Retain and dispose of contaminated wash water.

6.3. Methods and material for containment and cleaning up

Avoid raising dust. Dampen, pick up mechanically and dispose of. When picked up, treat material as prescribed under Section 13 "Disposal".

6.4. Reference to other sections

Information regarding Safe handling, see Section 7. Information regarding personal protective measures, see Section 8.

Trade name: Kadmiumgelb mittel

Print date: 02.03.20

Version: 7 / DE

Date revised: 24.05.2019

Replaces Version: - / DE

Information regarding waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid the formation and deposition of dust. Provide exhaust ventilation if dust is formed. Ensure adequate ventilation. Handle and open container with care. Provide suitable exhaust ventilation at processing machines. Use breathing apparatus when transferring large quantities without exhaust ventilation facilities. If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Observe the usual precautions for handling chemicals.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition.

7.2. Conditions for safe storage, including any incompatibilities

Hints on storage assembly

Do not store together with: Acids, Oxidising agents, Do not store together with foodstuffs. Do not store together with animal feedstocks.

Further information on storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from direct sunlight. Protect from extreme heat and cold.

SECTION 8: Exposure controls/personal protection

xposure limit values		
Calcium fluoride		
List	2000/39/EC	
Туре		Occupational Exposure Limit (EU)
Value	2,5	mg/m³
Remarks: Fluorides, inorganic		
Calcium fluoride		
List	TRGS 900	
Value	1 Annu (a anaih	mg/m ³
DFG	sorption / sensib	ilisation: H; Pregnancy group: Y; Status: 12/2007; Remarks: EU
Quartz		
Туре	MAK	
Value	0,05	mg/m³
		mg/m³ narks: Alveolengängige Fraktion, TRGS 559, TRGS-
Maximum limit value: 8; Status: DG		
Maximum limit value: 8; Status: DG Beurteilungsmaßstab Biological limit values		
Maximum limit value: 8; Status: DG Beurteilungsmaßstab		
Maximum limit value: 8; Status: DG Beurteilungsmaßstab Biological limit values Calcium fluoride	GUV 2017; Ren	narks: Alveolengängige Fraktion, TRGS 559, TRGS-
Maximum limit value: 8; Status: DG Beurteilungsmaßstab Biological limit values Calcium fluoride List	GUV 2017; Ren TRGS 903	
Maximum limit value: 8; Status: DG Beurteilungsmaßstab Biological limit values Calcium fluoride List	GUV 2017; Ren TRGS 903	narks: Alveolengängige Fraktion, TRGS 559, TRGS-
Maximum limit value: 8; Status: DG Beurteilungsmaßstab Biological limit values Calcium fluoride List Value Parameter Testing material	SUV 2017; Ren TRGS 903 7,0 Fluoride Urine (U)	narks: Alveolengängige Fraktion, TRGS 559, TRGS- mg/g creatinine
Maximum limit value: 8; Status: DG Beurteilungsmaßstab Biological limit values Calcium fluoride List Value Parameter	SUV 2017; Ren TRGS 903 7,0 Fluoride Urine (U)	narks: Alveolengängige Fraktion, TRGS 559, TRGS-
Maximum limit value: 8; Status: DG Beurteilungsmaßstab Biological limit values Calcium fluoride List Value Parameter Testing material	SUV 2017; Ren TRGS 903 7,0 Fluoride Urine (U)	narks: Alveolengängige Fraktion, TRGS 559, TRGS- mg/g creatinine
Maximum limit value: 8; Status: DG Beurteilungsmaßstab Biological limit values Calcium fluoride List Value Parameter Testing material Test date	SUV 2017; Ren TRGS 903 7,0 Fluoride Urine (U)	narks: Alveolengängige Fraktion, TRGS 559, TRGS- mg/g creatinine
Maximum limit value: 8; Status: DG Beurteilungsmaßstab Biological limit values Calcium fluoride List Value Parameter Testing material Test date Calcium fluoride	SUV 2017; Ren TRGS 903 7,0 Fluoride Urine (U) End of expo	narks: Alveolengängige Fraktion, TRGS 559, TRGS- mg/g creatinine
Maximum limit value: 8; Status: DG Beurteilungsmaßstab Biological limit values Calcium fluoride List Value Parameter Testing material Test date Calcium fluoride List Value	SUV 2017; Ren TRGS 903 7,0 Fluoride Urine (U) End of expo TRGS 903 4,0	narks: Alveolengängige Fraktion, TRGS 559, TRGS- mg/g creatinine osure or end of shift.
Maximum limit value: 8; Status: DG Beurteilungsmaßstab Biological limit values Calcium fluoride List Value Parameter Testing material Test date Calcium fluoride List Value Parameter	SUV 2017; Ren TRGS 903 7,0 Fluoride Urine (U) End of expo TRGS 903 4,0 Fluoride	narks: Alveolengängige Fraktion, TRGS 559, TRGS- mg/g creatinine osure or end of shift. mg/g
Maximum limit value: 8; Status: DG Beurteilungsmaßstab Biological limit values Calcium fluoride List Value Parameter Testing material Test date Calcium fluoride List Value Parameter Testing material	SUV 2017; Ren TRGS 903 7,0 Fluoride Urine (U) End of expo TRGS 903 4,0 Fluoride Urine (U)	narks: Alveolengängige Fraktion, TRGS 559, TRGS- mg/g creatinine osure or end of shift. mg/g creatinine
Maximum limit value: 8; Status: DG Beurteilungsmaßstab Biological limit values Calcium fluoride List Value Parameter Testing material Test date Calcium fluoride List Value Parameter Testing material Test date	SUV 2017; Ren TRGS 903 7,0 Fluoride Urine (U) End of expo TRGS 903 4,0 Fluoride	narks: Alveolengängige Fraktion, TRGS 559, TRGS- mg/g creatinine osure or end of shift. mg/g creatinine
Maximum limit value: 8; Status: DG Beurteilungsmaßstab Biological limit values Calcium fluoride List Value Parameter Testing material Test date Calcium fluoride List Value Parameter Testing material	SUV 2017; Ren TRGS 903 7,0 Fluoride Urine (U) End of expo TRGS 903 4,0 Fluoride Urine (U) Before next	narks: Alveolengängige Fraktion, TRGS 559, TRGS- mg/g creatinine osure or end of shift. mg/g creatinine

de name: Kadmiumgelb mittel		Print date: 02.03.20
	Version: 7 / DE	Date revised: 24.05.201
	Replaces Version: - / DE	
away from foodstuffs and beverages. V usual precautions for handling chemica	ires bid contact with skin and eyes. Do not eat, drin Vash hands before breaks and after work. Use als. Take off immediately all contaminated cloth	e barrier skin cream. Observe the
	atmosphere. Short term: filter apparatus, Filte roved for this particular job must be worn.	r P3; If workplace limits are
Hand protection impermeable gloves	anufacturers on permeability and breakthroug	h times and other workplace
Eye protection Safety glasses with side protection shie	eld	
Body protection Clothing as usual in the chemical indus		
CTION 9: Physical and chemical pro	perties	
9.1. Information on basic physical and	chemical properties	
Form	Powder	
Colour	see tradename	
Odour Odour threshold	characteristic	
Remarks	not determined	
pH value Remarks	not determined	
Melting point Remarks	not determined	
Freezing point		
Remarks	not determined	
Initial boiling point and boiling range Remarks	not determined	
Flash point Remarks	Not applicable	
Evaporation rate (ether = 1) :		
Remarks	not determined	
Flammability (solid, gas) not determined		
Upper/lower flammability or explosive Remarks	limits not determined	
Vapour pressure Remarks	not determined	
Vapour density Remarks	not determined	
Density Remarks	not determined	
Solubility in water Remarks	not determined	
rtomante		
Solubility(ies) Remarks	not determined	
Solubility(ies)	not determined	
Solubility(ies) Remarks Partition coefficient: n-octanol/water		

Viscosity

Safety data sheet in accordance with regulation (EC) No 1907/2006 Trade name: Kadmiumgelb mittel Print date: 02.03.20 Version: 7 / DE Date revised: 24.05.2019 **Replaces Version: - / DE** Not applicable Remarks **Explosive properties** evaluation not determined **Oxidising properties** not determined Remarks 9.2. Other information Other information None known **SECTION 10: Stability and reactivity** 10.1. Reactivity With acids hydrogen sulphide is produced. Violent reaction under influence of oxidising agents. 10.2. Chemical stability Stable under recommended storage and handling conditions (see section 7). 10.3. Possibility of hazardous reactions When used as recommended, no hazardous reactions are expected. 10.4. Conditions to avoid No hazardous reactions known. **Decomposition temperature** not determined Remarks **10.5.** Incompatible materials Reactions with strong acids. With acids hydrogen sulphide is produced. Reactions with strong oxidising agents. 10.6. Hazardous decomposition products Hydrogen sulfide (H2S), Poisonous metal oxides, Barium oxides, sulphurous oxides (SOx) **SECTION 11: Toxicological information** 11.1. Information on toxicological effects Acute oral toxicity not determined Remarks Acute dermal toxicity not determined Remarks Acute inhalational toxicity not determined Remarks Skin corrosion/irritation not determined Remarks Remarks Frequent persistent contact with the skin can cause skin irritation. Serious eye damage/irritation Remarks not determined Remarks Eye contact with the product may lead to irritation. Sensitization not determined Remarks Subacute, subchronic, chronic toxicity Remarks not determined Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation. Remarks Mutagenicity Remarks not determined **Reproductive toxicity** not determined Remarks Carcinogenicity Remarks not determined Specific Target Organ Toxicity (STOT) not determined Remarks Other information

Trade name: Kadmiumgelb mittel			Print date: 02.03.20	
-	Version: 7 / DE		Date revised:	24.05.201
	Replaces Versio	on: -/DE		
No toxicological data are available.				
SECTION 12: Ecological information				
12.1. Toxicity				
General information not determined				
12.2. Persistence and degradability				
General information not determined				
12.3. Bioaccumulative potential				
General information				
not determined Partition coefficient: n-octanol/wate Remarks	r not determined			
12.4. Mobility in soil	not dotominou			
General information not determined				
12.5. Results of PBT and vPvB asse	ssment			
General information not determined				
12.6. Other adverse effects				
General information not determined				
General information / ecology Ecological data are not available. De	not discharge product unmonitore	ed into the environ	ment.	
SECTION 13: Disposal consideration	S			
13.1. Waste treatment methods				
Disposal recommendations for the Product should be taken to a suitabl necessary after consultation with the No refuse incineration.	e and authorized waste disposal sit			ns and if
Disposal recommendations for pac Packaging that cannot be cleaned s Uncontaminated packaging may be	hould be disposed off as product wa	aste.		
SECTION 14: Transport information				
Land transport ADR/RID				
The product does not constitute a h	zardous substance in land transpo	ort.		
Marine transport IMDG/GGVSee				
The product does not constitute a h	zardous substance in sea transpor	rt.		
Air transport ICAO/IATA				
The product does not constitute a h	zardous substance in air transport			
SECTION 15: Regulatory information				
15.1. Safety, health and environmer	tal regulations/legislation specifi	ic for the substa	nce or mixture	
Water Hazard Class (Germany) Water Hazard Class (Germany) Remarks	WGK 1 Derivation of WGK according to A		<i></i>	

Safety data sheet in accordance with regulation (EC) No 1907/2006 Trade name: Kadmiumgelb mittel Print date: 02.03.20 Version: 7 / DE Date revised: 24.05.2019 **Replaces Version: - / DE** ZH 1/136 "Data Sheet: Cadmium and its compounds, Cadmium chloride (M 033)" Prohibited uses according to REACH-Regulation (EG) No. 1907/2006 Annex XVII-restrictions - 23 and amendment EU Nr. 494/2011, e.g. polymers, aqueous and non-aqueous based paints, Cadmium pigments may not be used inpaints within the EU which fall within Common Customs Tariffnumbers 3208 and 3209. Prohibited uses according to end-of-lifes-vehicles Directive 2000/53/EC, Electrical Directive (2002/95/EC and 2011/65/EC) and Packaging Directive (94/62/EC). 15.2. Chemical safety assessment For this preparation a chemical safety assessment has not been carried out. **SECTION 16: Other information** Abbreviations ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route AGW: Arbeitsplatzgrenzwert AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances that are hazardous to water) BGW: Biologischer Grenzwert CAS: Chemical Abstracts Service DNEL: Derived no effect level EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances GGVSee: Gefahrgutverordnung See IARC: International Agency for Research on Cancer IATA: International Air Transport Association ICAO: International Civil Aviation Organization IMDG: International Maritime Code for Dangerous Goods LC: Lethal concentration LD: Lethal dose MAK: Maximale Arbeitsplatz-Konzentration NOEC: No observable effect concentration NOEL: No observable effect level OECD: Organisation for Economic Co-operation and Development OEL: Occupational exposure limit PBT: Persistent, Bioaccumulative and Toxic PNEC: Predicted no effect concentration RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses TRGS: Technische Regeln für Gefahrstoffe VDI: Verein Deutscher Ingenieure VLEP: Valeurs Limites d'exposition Professionnelle vPvB: Very persistent and very bioaccumulative WGK: Wassergefährdungsklasse (water hazard class) Supplemental information These data is based on our present knowledge and experience respectively supplier-information. This safety data sheet

describes the product in regard to the requirements of safety. The information does not represent a assurance for certain properties. Existing laws and regulations are to be observed by the recipient of our products in own responsibility. It is the responsibility of the user, to determine if the product is suitable for the deliberate operational area and the respective intended purpose. A liability for damages in connection with the use of this information is excluded. Relevant changes compared with the previous version of the safety data sheet are marked with: ***