

# SAFETY DATA SHEET

info@deffner-johann.de | +49 (0)9723 9350-0

Die in diesem Produktdatenblatt genannten Spezifikationen dienen nur zur Produktbeschreibung und beziehen sich auf den Zeitpunkt unmittelbar nach der Produktion bzw. Import des Produktes. Sie entsprechen den Angaben des Herstellers. Eine rechtsverbindliche Zusicherung bestimmter Eigenschaften oder der Eignung für einen bestimmten Einsatzzweck kann hieraus nicht abgeleitet werden. Durch unsachgemäßen Transport und / oder unsachgemäße Lagerung können sich Änderungen ergeben. Die Angaben in diesem Produktdatenblatt entbinden den Verarbeiter nicht von eigener Prüfung der Eigenschaften des Produktes und dessen Eignung für die vorgesehene Verwendung.

de name: Eisenoxidgel	
	Version: 6 / DE Date revised: 04.0
	Replaces Version: 5 / DE
CTION 1: Identification of	of the substance/mixture and of the company/undertaking
1.1. Product identifier	
Eisenoxidgelb hell Registration no.	
Registration no. CAS No.	01-2119457554-33-XXXX 51274-00-1
1.2. Relevant identified us	ses of the substance or mixture and uses advised against
Use of the substance/pre Colourant	paration
1.3. Details of the supplie	er of the safety data sheet
Adresse:	
Deffner & Johann Gm	ıbН
Mühläckerstraße 13 D-97520 Röthlein	
Tel.:	+49 (0) 9723 9350-0
Fax:	+49 (0) 9723 9350-25
E-Mail-Adresse:	info@deffner-johann.de
1.4 Notfall-Nummer:	+49 (0) 9723 9350-0 (Mo. – Fr. 7:30 – 15:00 Uhr)
CTION 2: Hazards identi 2.1. Classification of the	substance or mixture
This product is not classi	ation following the Safety Data Sheet format fied hazardous in accordance with Regulation (EC) No 1272/2008.
2.2. Label elements	
• •	regulation (EC) No 1272/2008 quire a hazard warning label in accordance with Regulation (EC) No 1272/2008.
2.3. Other hazards	
Dust loading	
CTION 3: Composition/i	nformation on ingredients
Chemical characterization Iron hydroxide oxide	n
CTION 4: First aid meas	ures
4.1. Description of first ai	id measures
General information In case of persistent sym	iptoms consult doctor.
After inhalation Remove the casualty into	o fresh air and keep him calm. In the event of symptoms take medical treatment.
After skin contact Wash off immediately wit	th soap and water. Consult a doctor if skin irritation persists.
After eye contact Rinse cautiously with wa Seek medical advice imm	ter for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing nediately.
After ingestion	
	with water. Call in a physician immediately and show him the Safety Data Sheet.

ade name: Eisenoxidgelb hell		Print date: 04.03.20
de name. Lisenosidgen nem		
	Version: 6 / DE	Date revised: 04.03.202
	Replaces Version: 5 / DE	
4.2. Most important symptoms and effect Until now no symptoms known so far.	s, both acute and delayed	
4.3. Indication of any immediate medical	attention and special treatment neede	d
Hints for the physician / treatment Treat symptomatically		
CTION 5: Firefighting measures		
5.1. Extinguishing media		
Suitable extinguishing media Water spray jet, Foam, Carbon dioxide		
Non suitable extinguishing media Full water jet		
5.2. Special hazards arising from the sub	stance or mixture	
None known		
5.3. Advice for firefighters		
Special protective equipment for fire-figh Use self-contained breathing apparatus. W		
Other information Fire residues and contaminated fire-fightin	ng water must be disposed of in accordar	nce with the local regulations.
CTION 6: Accidental release measures	i	
6.1. Personal precautions, protective equ	ipment and emergency procedures	
Avoid dust formation. Do not inhale dust. I ventilation. High risk of slipping due to leal measures listed in Sections 7 and 8. Remo	kage/spillage of product. Use personal p	
6.2. Environmental precautions		
Do not discharge into the drains/surface w of contaminated wash water.	vaters/groundwater. Do not discharge into	o the subsoil/soil. Retain and dispose
6.3. Methods and material for containment	nt and cleaning up	
Avoid raising dust. Pick up mechanically.	When picked up, treat material as prescr	ibed under Section 13 "Disposal".
6.4. Reference to other sections		
Information regarding Safe handling, see S Information regarding waste disposal, see		I protective measures, see Section 8.

## 7.1. Precautions for safe handling

## Advice on safe handling

Provide exhaust ventilation if dust is formed. Avoid the formation and deposition of dust. Handle and open container with care. Provide suitable exhaust ventilation at the processing machines. Ensure adequate ventilation. Use breathing apparatus when transferring large quantities without exhaust ventilation facilities. If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Observe the usual precautions for handling chemicals.

## Advice on protection against fire and explosion

No special measures required.

## 7.2. Conditions for safe storage, including any incompatibilities

## Hints on storage assembly

Do not store together with foodstuffs.

## Further information on storage conditions

Keep container tightly closed and dry in a cool, well-ventilated place. Protect from direct sunlight. Protect from extreme heat and cold.

rade name: Eisenoxidgelb hell		Print date: 04.03.20	
	Version: 6 / DE	Date revised:	04.03.2020
	Replaces Version: 5 / DE		
ECTION 8: Exposure controls/p	personal protection		
8.1. Control parameters			
Other information The national general dust limit r TRGS 900: Oberserve the gene			
Derived No/Minimal Effect Leve	els (DNEL/DMEL)		
Iron hydroxide oxide			
Reference substance	Iron hydroxide oxide		
Type of value	Derived No Effect Level (DNEL) Worker		
Reference group Duration of exposure	Long term		
Route of exposure	inhalative		
Mode of action	Local effects		
Concentration	10	mg/m³	
Source	Literature value	3	
	Iron hydroxide oxide		
Type of value	Derived No Effect Level (DNEL)		
Reference group	Worker		
Reference group Duration of exposure	Worker Long term		
Reference group Duration of exposure Route of exposure	Worker Long term inhalative		
Reference group Duration of exposure	Worker Long term	ma/m³	

Conclusion/Summary: Dust Inhalable 10 mg/m<sup>3</sup>, Respirable dust 3 mg/m<sup>3</sup>

## 8.2. Exposure controls

#### General protective and hygiene measures

Do not inhale dust/fumes/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Wash hands before breaks and after work. Use barrier skin cream. Observe the usual precautions for handling chemicals. Hold eye wash fountain available. Take off immediately all contaminated clothing.

#### **Respiratory protection**

If workplace limits are exceeded, a respiratory protection approved for this particular job must be worn. Particle filter P2; Use breathing apparatus in dust-laden atmosphere.

#### Hand protection

#### Protective gloves

Observe the information of the glove manufacturers on permeability and breakthrough times and other workplace requirements.

## Eye protection

Safety glasses with side protection shield

#### Body protection

Clothing as usual in the chemical industry.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Form Colour Odour	Powder see tradename characteristic		
Odour threshold Remarks	not determined		
<b>pH value</b> Value Concentration/H2O Remarks Source	3 5 Suspension in wate Literature value	to % r	7

ade name: Eisenoxidgelb hell				Р	rint date: 04.03.2	0
		Versio	n: 6/DE		Date revise	d: 04.03.202
		Replac	ces Versio			
Melting point						
Value	>	1000		°C		
Method	Value ta	aken from tl	ne literature	)		
Freezing point Remarks	not dete	ermined				
Initial boiling point and boiling range Remarks	not dete	ermined				
Flash point Remarks	Not app	licable				
Evaporation rate (ether = 1) : Remarks	not dete	ermined				
Flammability (solid, gas) not determined						
Upper/lower flammability or explosive Remarks	limits not dete	ermined				
Vapour pressure						
Remarks Vapour density	not dete	ermined				
Remarks	not dete	ermined				
Density Value	>	4,26		kg/l		
Temperature		20	°C			
Solubility in water Value Source	< Literatu	0,000001 re value		g/l		
Solubility(ies) Remarks	not dete					
Partition coefficient: n-octanol/water Remarks	not dete					
Ignition temperature Remarks	not dete					
Decomposition temperature	not dete	emmed				
Value	from	180		°C		
Source	Literatu	re value				
Viscosity						
Remarks	Not app	blicable				
Explosive properties evaluation	not dete	ermined				
Oxidising properties Remarks	not dete	ermined				
9.2. Other information						
Other information None known						
ECTION 10: Stability and reactivity						
10.1. Reactivity						
No hazardous reactions when stored a	nd handle	ed accordin	g to prescri	bed instructions.		
<b>10.2. Chemical stability</b> No hazardous reactions known.						
10.3. Possibility of hazardous reaction	s					
No hazardous reactions known.	-					
10.4. Conditions to avoid						
From approx. 180 °C conversion into F						

ade name: Eisenoxidgelb hell				Pri	int date: 04.03.20	
-		Ve	rsion: 6/DE		Date revised: (	)4.03.202
		Re	places Versio	on: 5/DE		
Value	fre	om 180		°C		
Source		terature value	e	C		
10.5. Incompatible materials						
No hazardous reactions when s	stored and h	nandled acco	ording to prescri	bed instructions.		
10.6. Hazardous decompositior	n products					
No hazardous decomposition p	roducts kno	own.				
CTION 11: Toxicological infor	mation					
11.1. Information on toxicologic						
Acute oral toxicity						
Species	rat					
LD50	>	10000		mg/kg		
Source	Litera	ture value				
Acute dermal toxicity Remarks	No da	ata available				
Acute inhalational toxicity	110 00					
Species	rat					
LC50	>	195	_	mg/m³		
Duration of exposure	Litoro	6 tura valua	h			
Source Species	rat	ture value				
LC50	>	195		mg/m³		
Duration of exposure		2	Weeks	5		
Source	Litera	ture value				
Skin corrosion/irritation						
evaluation Remarks	non-ir		th a similar form	vulation		
Source		ture value	ui a siiiiidi iuffi	iuialiuii.		
Remarks			longed skin con	tact may lead to d	efatting and irritation of	the
Serious eye damage/irritation						
evaluation	non-ir					
Remarks			th a similar form			
Remarks Sensitization	Eyec	contact with tr	ne product may	lead to irritation.		
Route of exposure	derma	al				
Species	guine					
evaluation		ensitizing				
Source		ture value				
Subacute, subchronic, chronic						
Remarks Remarks		etermined	nged inhalation	of dust may load +	o chronic respiratory in	ritation
	repe		กษะนาทางเสแบก	or uust may lead l	o chionic respiratory II	
Mutagenicity Remarks	Baser	d on available	e data the class	sification criteria ar	e not met	
Source		ture value				
Reproductive toxicity Remarks	No da	ata available				
Carcinogenicity		,				
Remarks Specific Target Organ Toxicity		ata available				
Remarks		ata available				
CTION 12: Ecological informa	tion					
12.1. Toxicity						
Fish toxicity						
Species	zohro	fish (Brachy	(dente nente)			

rade name: Eisenoxidgelb hell			Pi	rint date: 04.03.20
	v	/ersion: 6/D	DE	Date revised: 04.03.20
	R	eplaces Ver	sion: 5/DE	
Duration of exposure	96	h		
Source	Literature value			
Daphnia toxicity				
Species EC50	Daphnia magna > 100		mg/l	
Duration of exposure	48	h		
Method Source	OECD 202 Literature value			
Bacteria toxicity				
Remarks	not determined			
12.2. Persistence and degradabilit	у			
General information No data available				
12.3. Bioaccumulative potential				
General information No data available				
Partition coefficient: n-octanol/wa Remarks	ter not determin	ed		
12.4. Mobility in soil				
General information No data available				
12.5. Results of PBT and vPvB ass	sessment			
General information Not applicable				
12.6. Other adverse effects				
General information No data available				
General information / ecology Do not discharge product unmonito	ored into the enviro	nment.		
ECTION 13: Disposal consideration	ons			
13.1. Waste treatment methods				
Disposal recommendations for the Product should be taken to a suita necessary after consultation with t	ble and authorized			
Disposal recommendations for pa Packaging that cannot be cleaned Uncontaminated packaging may b	should be dispose		t waste.	
ECTION 14: Transport information	n			
Land transport ADR/RID				
The product does not constitute a	hazardous substan	ce in land trans	sport.	
Marine transport IMDG/GGVSee				
The product does not constitute a	hazardous substan	ice in sea trans	port.	
Air transport ICAO/IATA				
The product does not constitute a	hazardous substan	ce in air transp	ort.	
ECTION 15: Regulatory information	on ***			
15.1. Safety, health and environme		egislation spe	cific for the substa	nce or mixture
Water Hazard Class (Germany) ***				
Water Hazard Class (Germany) Remarks	Not water hazar		Annex 1 No. 5.2 Av	0.4

## Safety data sheet in accordance with regulation (EC) No 1907/2006

Trade name: Eisenoxidgelb hell

Version: 6 / DE

Print date: 04.03.20

Date revised: 04.03.2020

Replaces Version: 5 / DE

## 15.2. Chemical safety assessment

not applicable

## **SECTION 16: Other information**

#### Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route AGW: Arbeitsplatzgrenzwert AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances that are hazardous to water) BGW: Biologischer Grenzwert CAS: Chemical Abstracts Service DNEL: Derived no effect level EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances GGVSee: Gefahrgutverordnung See IARC: International Agency for Research on Cancer IATA: International Air Transport Association ICAO: International Civil Aviation Organization IMDG: International Maritime Code for Dangerous Goods LC: Lethal concentration LD: Lethal dose MAK: Maximale Arbeitsplatz-Konzentration NOEC: No observable effect concentration NOEL: No observable effect level OECD: Organisation for Economic Co-operation and Development OEL: Occupational exposure limit PBT: Persistent, Bioaccumulative and Toxic PNEC: Predicted no effect concentration RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses TRGS: Technische Regeln für Gefahrstoffe VDI: Verein Deutscher Ingenieure VLEP: Valeurs Limites d'exposition Professionnelle vPvB: Very persistent and very bioaccumulative WGK: Wassergefährdungsklasse (water hazard class)

## Supplemental information

These data is based on our present knowledge and experience respectively supplier-information. This safety data sheet describes the product in regard to the requirements of safety. The information does not represent a assurance for certain properties. Existing laws and regulations are to be observed by the recipient of our products in own responsibility. It is the responsibility of the user, to determine if the product is suitable for the deliberate operational area and the respective intended purpose. A liability for damages in connection with the use of this information is excluded. Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\*