

info@deffner-johann.de | +49 9723 9350-0

Die in diesem Produktdatenblatt genannten Spezifikationen dienen nur zur Produktbeschreibung und beziehen sich auf den Zeitpunkt unmittelbar nach der Produktion bzw. Import des Produktes. Sie entsprechen den Angaben des Herstellers. Eine rechtsverbindliche Zusicherung bestimmter Eigenschaften oder der Eignung für einen bestimmten Einsatzzweck kann hieraus nicht abgeleitet werden. Durch unsachgemäßen Transport und / oder unsachgemäße Lagerung können sich Änderungen ergeben. Die Angaben in diesem Produktdatenblatt entbinden den Verarbeiter nicht von eigener Prüfung der Eigenschaften des Produktes und dessen Eignung für die vorgesehene Verwendung.

according to Regulation (EC) No. 1907/2006 (REACH)

50 072 - Wax varnish

16.05.18 Article No. Issue date: (16.05.18) 1 / 8 Version Page

SECTION 1: Identification of the substance/mixture and of the

company/undertaking

1.1 Product identifier

50 072 - Wax varnish **Trade name**

1.2 Relevant identified uses of the substance or mixture and uses advised against

General use

Products for creation of art.

Uses advised against

1.3 Details of the supplier of the safety data sheet

H. Schmincke & Co. GmbH & Co. KG

Otto-Hahn-Str. 2 D - 40699 Erkrath

Tel. +49 (0) 211-2509-0 Fax. +49 (0) 211-2509-497 info@schmincke.de

Dept. responsible for information

Schmincke-lab:

www.schmincke.de

mo-th 8.00-16.30.fr 8.00-13.30 Tel. +49 (0) 211-2509-474 labor@schmincke.de

1.4 Emergency telephone number

Emergency Information Phone #

Emergencycall Berlin (24h - counseling in german and english)

+49 (0) 30-30686700

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to EC regulation 1272/2008 (CLP)

Aquatic Chronic 2; H411 Toxic to aquatic life with long lasting effects.

STOT SE 3; H335 May cause respiratory irritation.

STOT SE 3; H336 May cause drowsiness or dizziness.

Skin Sens. 1; H317 May cause an allergic skin reaction.

2.2 Label elements

Labelling (CLP)





Signal word

Warning

Hazard statements

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

Safety precautions

P102 Keep out of reach of children.

P260 Do not breathe vapours.

according to Regulation (EC) No. 1907/2006 (REACH)

50 072 - Wax varnish

 Article No.
 Issue date:
 16.05.18

 Version
 3 (16.05.18)
 Page
 2 / 8

P273 Avoid release to the environment. P280 P273 Avoid release to the environment.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/or shower.

2.3 Other hazards

Repeated exposure may cause skin dryness or cracking. (EUH066)

SECTION 3: Composition / information on ingredients

3.1 Substances

Chemical characterisation

White spirit wax Dammar resin

Larch turpentine

CAS-Number EINECS / ELINCS / NLP EU index number Customs tariff number REACH registration No. RTECS-no.

Hazchem-Code CI-Number

3.2 Mixtures

Substance 1

solvent naphtha (petroleum), light, aromatic: 50,0 - 74,9%

CAS: 64742-95-6

REACH: 01-2119455851-35

Aquatic Chronic 2; H411 / Asp. Tox. 1; H304 / Flam. Liq. 3; H226 / STOT SE 3; H335 / STOT SE 3; H336 / EUH066

Substance 2

larch turpentine: 1,0 - 2,5 %

CAS: 90046-19-8

Flam. Liq. 3; H226 / Skin Sens. 1; H317

Additional information

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

If you feel unwell, seek medical advice (show the label where possible).

In case of inhalation

Provide fresh air. Seek medical attention if problems persist.

In case of skin contact

Remove residues with soap and water. In case of skin irritation, consult a physician.

After eye contact

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 10 - 15 minutes. Seek medical attention if irritation persists.

After swallowing

Rinse mouth with water. Do NOT induce vomiting. Immediately get medical attention.

4.2 Most important symptoms and effects, both acute and delayed

4.3 Indication of any immediate medical attention and special treatment needed

according to Regulation (EC) No. 1907/2006 (REACH)

50 072 - Wax varnish

 Article No.
 Issue date:
 16.05.18

 Version
 3 (16.05.18)
 Page
 3 / 8

Caution if victim vomits: Risk of aspiration!

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

Extinguishing media which must not be used for safety reasons strong water jet

5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide and carbon dioxide

5.3 Advice for firefighters

Special protective equipment for firefighters

Use appropriate respiratory protection.

Additional information

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing.

6.2 environmental precautions

Discharge into the environment must be avoided.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up

Collect spilled material using paper towels and dispose.

Additional information

6.4 Reference to other sections

Dispose of waste according to applicable legislation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advices on safe handling

Handle in accordance with good industrial hygiene and safety practice.

Precautions against fire and explosion

No special measures are required.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers

Hints on joint storage

Storage class

Further details

Protect from frost and exposure to sun.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

64742-95-6 solvent naphtha (petroleum), light, aromatic

DEU WEL	50,000	mg/m³	TRGS 900
---------	--------	-------	----------

8.2 Exposure controls

Occupational exposure controls

Respiratory protection

according to Regulation (EC) No. 1907/2006 (REACH)

50 072 - Wax varnish

 Article No.
 Issue date:
 16.05.18

 Version
 3 (16.05.18)
 Page
 4 / 8

With correct and proper use, and under normal conditions, breathing protection is not required.

Hand protection

Protective gloves

Qualified materials: Nitrile rubber

Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection

Goggles

Body protection

Wear suitable protective clothing.

General protection and hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands thoroughly after handling.

SECTION 9: Physical and chemical properties

9.1 information on basic physical and chemical properties

Form pasty

Colouryellowish, opaqueOdourweak like white spirit

min max

Initial boiling point and

boiling range

Melting point/freezing point Flash point/flash point range

Flammability

Ignition temperature
Auto-ignition temperature

Explosion limits Refraction index

Partition coefficient: n-octanol/water

Danger of explosion

Vapour pressure

Density 1,26 g/ml 20 °C

PH value

Viscosity dynamic of Viscosity dynamic up to

Viscosity kinematic of Viscosity kinematic up to

9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity

Product is stable under normal storage conditions.

10.2 Chemical stability

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

Protect from frost and exposure to sun.

10.5 Incompatible materials

strong oxidizing agents

10.6 Hazardous decomposition products

Hazardous vapours may form during fires.

64742-95-6 solvent naphtha (petroleum), light, aromatic

according to Regulation (EC) No. 1907/2006 (REACH)

50 072 - Wax varnish

Article No. Version	3 (16.05.18)				Issue date: Page			16.05.18 5 / 8
	oral	LD50	Rat	>	2000,000	mg/kg		
	dermal	T.D50	Ra†	\longrightarrow	2000.000	ma/ka	-	

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

No data available

In case of inhalation

No data available

After swallowing

No data available

In case of skin contact

No data available

After eye contact

No data available

Practical experience

General remarks

<u>Toxicological tests</u>

64742-95-6

solvent naphtha (petroleum), light, aromatic

LC50	fish	>	10,000	mg/l	-
LC50	Algae	>	10,000	mg/l	-

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

No data available

Water Hazard Class

WGK catalog number

General information

12.2 Persistence and degradability

Further details

Product is partially biodegradable.

2

Oxygen demand

12.3 Bioaccumulative potential

Bioconcentration factor (BCF)
Partition coefficient: n-octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

General information

Ecotoxicological effects

SECTION 13: Disposal considerations

13.1 Waste treatment methods

according to Regulation (EC) No. 1907/2006 (REACH)

50 072 - Wax varnish

 Article No.
 Issue date:
 16.05.18

 Version
 3 (16.05.18)
 Page
 6 / 8

Product

Waste key number

080111 Waste paint and varnish containing organic solvents or other dangerous substances

Recommendation

Contaminated packaging

Waste key number Recommendation

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

Additional information

SECTION 14: Transport information

14.1 UN number

3082

14.2 UN proper shipping name

ADR, ADN Environmentally hazardous substance, liquid n.o.s.

IMDG, IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

14.3 Transport hazard class(es)

 ADR, ADN
 9

 IMDG
 9

 IATA
 9

14.4 Packing group

III

14.5 Environmental hazards

Marine Pollutant - IMDG Yes
Marine Pollutant - ADN

14.6 Special precautions for user

Land transport

Code: ADR/RIDM6Kemmler-number90Hazard label ADR9Limited quantities51

Contaminated packaging: Instructions P001 - IBC03 - LP01 - R001

Contaminated packaging: Special provisions PP1
Special provisions for packing together MP19
Portable tanks: Instructions T4
Portable tanks: Special provisions TP1 - TP29
Tank coding LGBV
Tunnel restriction -

Remarks

EQ E1

Special provisions 274 - 335 - 375 - 601

Inland waterway craft

Hazard label
Limited quantities
Transport permitted
Equipment necessary
Ventilation
Remarks
EQ

Special provisions

according to Regulation (EC) No. 1907/2006 (REACH)

50 072 - Wax varnish

 Article No.
 Issue date:
 16.05.18

 Version
 3 (16.05.18)
 Page
 7 / 8

Sea transport

EmS F-A, S-F

Special provisions 274 - 335 - 969

Limited quantities 5

Contaminated packaging: Instructions P001 - LP01
Contaminated packaging: Special provisions PP1

IBC: Instructions IBC03
IBC: Provisions Tank instructions IMO -

Tank instructions UN T4

Tank instructions Special provisions TP1 - TP29 **Stowage and segregation** category A

Properties and observations

Remarks

EQ E1

Air transport

Hazard -

 Passenger
 964 (450I)

 Passenger LQ
 Y964 (30kg G)

 Cargo
 964 (450I)

 ERG
 9L

Remarks

EQ E1

Special Provisioning A97 - A158 - A197

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Europe

Contents of VOC [%]

Contents of VOC

[g/L]

Further regulations, limitations and legal requirements

<u>Germany</u>

Storage class

Water Hazard Class 2

WGK catalog number Incident regulation

Information on working limitations

Further regulations, limitations and legal requirements

Denmark

Further regulations, limitations and legal requirements

Hungary

Further regulations, limitations and legal requirements

Great Britain

Further regulations, limitations and legal requirements

according to Regulation (EC) No. 1907/2006 (REACH)

50 072 - Wax varnish

Switzerland

Contents of VOC [%]

60 %

Further regulations, limitations and legal requirements

USA

Further regulations, limitations and legal requirements Federal Regulations State Regulations

<u>Japan</u>

Further regulations, limitations and legal requirements

Canada

Further regulations, limitations and legal requirements

15.2 Chemical Safety Assessment

SECTION 16: Other information

Further information

Hazard statements (CLP) H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness.

H372 Causes damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Further information

This information is abased on our current state of knowledge and describes the security standards applicable to our product for the purpose provided. The information provided here does not constitute a legally binding warranty of specific characteristics or of suitability for a specific application use of the product is thus to be adapted to the user's special conditions and checked by preliminary tests. We are thus unable to guarantee product characteristics or accept an liability for damage arising in connection with the use of our products.

Literature

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Reason of change

Additional information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.