

info@deffner-johann.de | +49 9723 9350-0

Die in diesem Produktdatenblatt genannten Spezifikationen dienen nur zur Produktbeschreibung und beziehen sich auf den Zeitpunkt unmittelbar nach der Produktion bzw. Import des Produktes. Sie entsprechen den Angaben des Herstellers. Eine rechtsverbindliche Zusicherung bestimmter Eigenschaften oder der Eignung für einen bestimmten Einsatzzweck kann hieraus nicht abgeleitet werden. Durch unsachgemäßen Transport und / oder unsachgemäße Lagerung können sich Änderungen ergeben. Die Angaben in diesem Produktdatenblatt entbinden den Verarbeiter nicht von eigener Prüfung der Eigenschaften des Produktes und dessen Eignung für die vorgesehene Verwendung.

according to Regulation (EC) No. 1907/2006 (REACH)

# 50 404 - AEROSPRAY B72

Article No.

By Deffner & Johann: 2167300

50404

Issue date:

09.12.20

#### 1.1 ( 09.12.20 ) 1/9 Version Page SECTION 1: Identification of the substance/mixture and of the company/undertaking **1.1 Product identifier** 2167300 - AEROSPRAY B72 Trade name Name INCI Name Ph. Eur. **REACH** registration No. UFI 1.2 Relevant identified uses of the substance or mixture and uses advised against General use Products for creation of art. Uses advised against 1.3 Details of the supplier of the safety data sheet H. Schmincke & Co. GmbH & Co. KG Otto-Hahn-Strasse 2 D-40699 Erkrath Tel +49 (0) 211 - 2509 - 0 Fax +49 (0) 211 - 2509 - 479 info@schmincke.de www.schmincke.de Schmincke-lab: mo-th 8.00-16.30, fr 8.00-13.30

tel. +49 (0) 211-2509-474 labor@schmincke.de

#### 1.4 Emergency telephone number

Emergency Information **Emergencycall Berlin** +49 30-30686700 (24/7 counseling in german and english)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to EC regulation 1272/2008 (CLP)

Eye Irrit. 2; H319 Causes serious eye irritation. Flam. Aerosol 1; H222 Extremely flammable aerosol. Flam. Aerosol 1; H229 Pressurised container: May burst if heated. STOT SE 3; H336 May cause drowsiness or dizziness.

#### 2.2 Label elements

#### Labelling





Signal word

Danger

Hazard statements

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.

- H319 Causes serious eye irritation.
- H336 May cause drowsiness or dizziness.

according to Regulation (EC) No. 1907/2006 (REACH)

### 50 404 - AEROSPRAY B72

Article No.	50404	Issue date:	09.12.20			
Version	1.1 ( 09.12.20 )	Page	2/9			
Safety precautions						
	P102 Keep out of reach of children.					
	P210 Keep away from heat, hot surfaces, sparks, op smoking.	en flames and other ignition sources. No				
	P211 Do not spray on an open flame or other ignition	n source.				
	P251 Do not pierce or burn, even after use.					
	P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop. P260 Do not breathe spray.					
	P271 Use only outdoors or in a well-ventilated area.					
	P305+P351+P338 IF IN EYES: Rinse cautiously with	water for several minutes. Remove conta	act			
	lenses, if present and easy to do. Continue rinsing.					

#### Hazard components for labelling

#### Text for labelling (CLP)

#### 2.3 Other hazards

#### **SECTION 3: Composition / information on ingredients**

#### 3.1 Substances

#### Chemical characterisation

acrylic resin Alcohols propellant (dimethyl ether) CAS-Number EINECS / ELINCS / NLP EU index number Customs tariff number REACH registration No. RTECS-no. Hazchem-Code CI-Number

#### 3.2 Mixtures

# Substance 1 propan-2-ol: 20 - 30 % CAS: 67-63-0 REACH: 01-2119457558-25 Eye Irrit. 2; H319 / Flam. Liq. H336 2; H225 / STOT SE 3;

#### Substance 3

dimethoxymethane: 10 - 20 % CAS: 109-87-5 REACH: 01-2119664781-31 Flam. Liq. 2; H225

#### Substance 5

propane / butane: < 20 % CAS: 74-98-6 / 106-97-8 REACH: 01-2119471330-49 / 01-2119474691-32 Compr. Gas; H280 / Flam. Gas 1; H220

#### Substance 2

1-methoxy-2-propanol: 5 - 10 % CAS: 107-98-2 REACH: 01-2119457435-35-xxxx Flam. Liq. 3; H226 / STOT SE 3; H336

#### Substance 4

4-hydroxy-4-methylpentan-2-one: 5 - 10 % CAS: 123-42-2 REACH: 01-2119473975-21-XXXX Eye Irrit. 2; H319 / Flam. Liq. 3; H226 / STOT SE 3; H335

#### Substance 6

dimethyl ether: < 10 % CAS: 115-10-6 REACH: 01-2119472128-37 Compr. Gas; H280 / Flam. Gas 1; H220

according to Regulation (EC) No. 1907/2006 (REACH)

# 50 404 - AEROSPRAY B72

Article No.	50404		Issue date:	09.12.20
Version		1.1 ( 09.12.20 )	Page	3/9

Additional information

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### **General information**

If you feel unwell, seek medical advice (show the label where possible).

#### In case of inhalation

Provide fresh air. Seek medical attention if problems persist.

#### In case of skin contact

Remove residues with soap and water. In case of skin irritation, consult a physician.

#### After eye contact

If product gets into the eye, keep eyelid open and rinse immediately with large quantities of water, for at least 10 -15 minutes. Seek medical attention if irritation persists.

#### After swallowing

Rinse mouth with water. Seek medical treatment in case of troubles.

#### 4.2 Most important symptoms and effects, both acute and delayed

#### 4.3 Indication of any immediate medical attention and special treatment needed

#### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

#### Extinguishing media which must not be used for safety reasons strong water jet

#### 5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide and carbon dioxide

#### 5.3 Advice for firefighters

#### Special protective equipment for firefighters

Use appropriate respiratory protection.

Additional information

#### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes, and clothing.

#### 6.2 environmental precautions

Discharge into the environment must be avoided.

#### 6.3 Methods and material for containment and cleaning up Methods for cleaning up

Collect spilled material using paper towels and dispose. Provide adequate ventilation.

#### **Additional information**

#### 6.4 Reference to other sections

Dispose of waste according to applicable legislation.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

#### Advices on safe handling

Handle in accordance with good industrial hygiene and safety practice.

#### Precautions against fire and explosion

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn,

according to Regulation (EC) No. 1907/2006 (REACH)

## 50 404 - AEROSPRAY B72

Article No.	50404	Issue date:	09.12.20
Version	1.1 ( 09.12.20 )	Page	4/9

even after use. Do not spray on naked flames or any incandescent material.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers

Keep in a cool, well-ventilated place.

#### Hints on joint storage Storage class

#### Further details

Protect from frost and exposure to sun.

#### 7.3 Specific end use(s)

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

67-63-0 propan-2-ol

<b>F</b> .	 	 _	

	DEU	WEL		200,000	mL/m³	-	
	DEU	WEL		380,000	mg/m³	4(II); DFG; Y	
10	107-98-2 1-methoxy-2-propanol						

DEU	WEL	100,000	ppm	-
DEU	WEL	370,000	mg/m³	2 (I); DFG; EU; Y

#### 109-87-5 dimethoxymethane

DEU	WEL	300,000	mL/m³	-
DEU	WEL	960,000	mg/m³	2(II); AGS; Y

#### 123-42-2 4-hydroxy-4-methylpentan-2-one

CAN	not required	50,000	mL/m³	(8h)
CHE	not required	20,000	mL/m³	(8h)
DEU	WEL	20,000	mL/m³	-
DEU	WEL	96,000	mg/dm³	2(I); DFG, H

#### **8.2 Exposure controls**

#### **Occupational exposure controls**

#### **Respiratory protection**

Respiratory protection must be worn whenever the WEL levels have been exceeded.

Combination filtering device (EN 14387) Use filter type A (= against vapours of organic substances)

#### Hand protection

Qualified materials: Butyl caoutchouc (butyl rubber)

Layer thickness > 0,5 mm

Breakthrough time > 480 min

Butoflex 650 - MAPA GmbH, Industriestraße 21- 25, D-27404 Zeven, Internet: www.mapa-pro.de All information was derived in accordance with EU directive 89/686/EWG and the resultant EN 374 in cooperation with MAPA GmbH. This recommendation applies exclusively to the product and use named in Section 1. In the event of commingling or deviating conditions, contact the suppliers of CE-approved gloves. This information is abased on our current state of knowledge and describes the security standards applicable to our product for the purpose provided.

#### Eye protection

Goggles

#### **Body protection**

Wear suitable protective clothing. Wash contaminated clothing prior to re-use.

General protection and hygiene measures Handle in accordance with good industrial hygiene and safety practice. Wash hands thoroughly after handling.

#### **SECTION 9: Physical and chemical properties**

according to Regulation (EC) No. 1907/2006 (REACH)

# 50 404 - AEROSPRAY B72

Article No.	50404		Issue date:	09.12.20
Version		1.1 ( 09.12.20 )	Page	5/9

#### 9.1 information on basic physical and chemical properties

Form	Aerosol
Colour	colourless
Odour	characteristic

	min	max	
Initial boiling point and			
boiling range			
Melting point/freezing point			
Flash point/flash point range		-60 °C	
Flammability			
Ignition temperature	235 °C	235 °C	
Auto-ignition temperature			
Explosion limits	1,5	18,6 Vol%	
Refraction index			
РН			
Viscosity			
Viscosity			
Vapour pressure		4100 hPa	20 °C
Density		0,72 g/ml	20 °C
Partition coefficient: n-octanol/water			

**Danger of explosion** 

#### 9.2 Other information

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Product is stable under normal storage conditions.

#### 10.2 Chemical stability

#### 10.3 Possibility of hazardous reactions

#### 10.4 Conditions to avoid

Protect from frost and exposure to sun.

#### **10.5 Incompatible materials**

#### 10.6 Hazardous decomposition products

Hazardous vapours may form during fires.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Toxicological tests 67-63-0

propan-2-ol

oral	LD50	Rat	>=	5000,00000	mg/kg	-
inhalative	LC50	Rat		51,00000	mg/L	(4h)
dermal	LD50	Rabbit	>	1000,00000	mg/kg	-

#### Toxicological tests 107-98-2

1-methoxy-2-propanol

[	oral	LD50	Rat	4016,00000	mg/kg	-
[	dermal	LD50	Rat	2000,00000	mg/kg	-

Toxicological tests

123-42-2

4-hydroxy-4-methylpentan-2-one

### SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 (REACH)

### 50 404 - AEROSPRAY B72

Article No. Version	50404 1.1 ( 09.12.20 )				Issue date: Page	09.12.20 6/ 9	
	oral	LD50	Rat	>	2000,00000	mg/kg	-
	dermal	LD50	Rabbit	>	5000,00000	U/mg	-

Acute toxicity

No data available

In case of inhalation

No data available

#### After swallowing

No data available

In case of skin contact

No data available

After eye contact

No data available

#### Practical experience

#### **General remarks**

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### **Ecotoxicological effects**

67-63-0 propan-2-ol

LC50	Leuciscus idus		8400,00000	mg/L	(48h)
EC50	Chlorella vulgaris		275,00000	mg/L	(96h)
EC50	Daphnia magna (Big water flea)	>	10000,00000	mg/L	(48h)

#### **Ecotoxicological effects**

107-98-2 1-methoxy-2-propanol

[	LC50	fish	>	4000,00000	mg/L	(96h)
	EC50	Daphnia magna (Big water flea)		23300,00000	mg/L	(48h)

#### Ecotoxicological effects

123-42-2 4-hydroxy-4-methylpentan-2-one

1

LC50	fish	>	100,00000	mg/L	(96h)
EC50	Algae	>	100,00000	mg/L	(72h)
EC50	Daphnia magna (Big water flea)	>	100,00000	mg/L	(48h)

**Aquatic toxicity** 

No data available

Water Hazard Class

WGK catalog number **General information** 

#### 12.2 Persistence and degradability

Further details Product is partially biodegradable. Oxygen demand

#### 12.3 Bioaccumulative potential

**Bioconcentration factor (BCF)** Partition coefficient: n-octanol/water

12.4 Mobility in soil No data available

12.5 Results of PBT and vPvB assessment

according to Regulation (EC) No. 1907/2006 (REACH)

## 50 404 - AEROSPRAY B72

Article No.	50404		Issue date:	09.12.20
Version		1.1 ( 09.12.20 )	Page	7/9

No data available

#### 12.6 Other adverse effects

**General information** 

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

Waste key number

160504160504\* Gases in pressure containers (including halons) containing dangerous substances.Recommendation

No

#### **Contaminated packaging**

Waste key number

Recommendation

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

#### **Additional information**

#### **SECTION 14: Transport information**

#### 14.1 UN number

1950

#### 14.2 UN proper shipping name

ADR, ADN	AEROSOLS, flammable
IMDG, IATA	AEROSOLS, flammable

#### 14.3 Transport hazard class(es)

ADR, ADN	2
IMDG	2.1
IATA	2.1

#### 14.4 Packing group

#### **14.5 Environmental hazards**

Marine Pollutant - IMDG Marine Pollutant - ADN

#### 14.6 Special precautions for user

#### Land transport (ADR/RID)

Code: ADR/RID	5F
Kemmler-number	-
Hazard label ADR	2.1
Limited quantities	1L
Contaminated packaging: Instructions	P207 - LP200
Contaminated packaging: Special provisions	PP87 - RR6 - L2
Special provisions for packing together	MP9
Portable tanks: Instructions	-
Portable tanks: Special provisions	-
Tank coding	-
Tunnel restriction	D
Remarks	
EQ	EO
Special provisions	190 - 327 - 344 - 625

#### Sea transport (IMDG)

according to Regulation (EC) No. 1907/2006 (REACH)

# 50 404 - AEROSPRAY B72

Article No.	50404		Issue date:	09.12.20
Version	1.1 ( 09.12.20 )		Page	8/9
EmS		F-D, S-U		
Special provision		63 - 190 - 277 - 327 - 344 - 381 - 959		
Limited quantitie		1L		
-	ackaging: Instructions	P207 - LP200		
	ackaging: Special provisions	PP87 - L2		
IBC: Instruction		-		
IBC: Provisions	5	-		
Tank instruction	s IMO	-		
Tank instruction	s UN	-		
Tank instruction	s Special provisions	-		
Stowage and see		category A SW1 - SG69		
Properties and o	bservations			
Remarks				
EQ		EO		
<u>Air transport (I/</u>	ATA-DGR)			
Hazard		-		
Passenger		203 (75 kg)		
Passenger LQ		Y203 (30 kg G)		
Cargo		203 (150 kg)		
ERG		10L		
Remarks				
EQ		EO		
Special Provision	ning	A145 - A167 - A802		

#### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No data available

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **National regulations**

#### <u>Europe</u>

Contents of VOC [%] Contents of VOC [g/L] Further regulations, limitations and legal requirements

#### Germany

Storage class

Water Hazard Class

WGK catalog number Incident regulation Information on working limitations Further regulations, limitations and legal requirements

1

#### <u>Denmark</u>

Further regulations, limitations and legal requirements

#### <u>Hungary</u>

Further regulations, limitations and legal requirements

#### **Great Britain**

Further regulations, limitations and legal requirements

according to Regulation (EC) No. 1907/2006 (REACH)

# 50 404 - AEROSPRAY B72

Article No.	50404		Issue date:	09.12.20
Version	1.1 ( 09.1	12.20 )	Page	9/9

#### **Switzerland**

Contents of VOC [%]

 $\sim 98,8~\%$  Further regulations, limitations and legal requirements

#### <u>USA</u>

Further regulations, limitations and legal requirements Federal Regulations State Regulations

#### <u>Canada</u>

Further regulations, limitations and legal requirements

#### 15.2 Chemical Safety Assessment

#### **SECTION 16: Other information**

#### **Further information**

H222 Extrem H225 Highly H226 Flamm H229 Press H280 Conta	mely flammable gas. mely flammable aerosol. / flammable liquid and vapour. nable liquid and vapour. urised container: May burst if heated. ins gas under pressure; may explode if heated. es serious eye irritation.
--	--

- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.

#### **Further information**

This information is abased on our current state of knowledge and describes the security standards applicable to our product for the purpose provided. The information provided here does not constitute a legally binding warranty of specific characteristics or of suitability for a specific application use of the product is thus to be adapted to the user's special conditions and checked by preliminary tests. We are thus unable to guarantee product characteristics or accept an liability for damage arising in connection with the use of our products.

#### Literature

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

#### Reason of change

#### Additional information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.