

SAFETY DATA SHEET

info@deffner-johann.de | +49 (0)9723 9350-0

Die in diesem Produktdatenblatt genannten Spezifikationen dienen nur zur Produktbeschreibung und beziehen sich auf den Zeitpunkt unmittelbar nach der Produktion bzw. Import des Produktes. Sie entsprechen den Angaben des Herstellers. Eine rechtsverbindliche Zusicherung bestimmter Eigenschaften oder der Eignung für einen bestimmten Einsatzzweck kann hieraus nicht abgeleitet werden. Durch unsachgemäßen Transport und / oder unsachgemäße Lagerung können sich Änderungen ergeben. Die Angaben in diesem Produktdatenblatt entbinden den Verarbeiter nicht von eigener Prüfung der Eigenschaften des Produktes und dessen Eignung für die vorgesehene Verwendung.

Material Safety Data Sheet

Polarit® G 54-56

according to EC/1272/2008 (Amendment to REACH)

Version: 20/01 E-MF-DM date of last change: July 29, 2020 print date: July 29, 2020 page 1 / 5

1. Identification of the substance / preparation and the Company

Trade name:	Polarit® G 54-56
Industrial sector:	chemical industry, candle industry, basic material, additive, polish, hotmelt adhesives
Use of the substance / preparation:	Product is defined as raw material for production or for further processing. Please call us at the below stated telephone number to clarify further uses. We will connect you with an application-engineering staff member to help you.
Recommended restrictions on use:	Please see Chapter 16
Lieferant:	Deffner & Johann GmbH
Straße:	Mühläckerstraße 134
Postleitzahl/Ort:	D-97520 Röthlein
Telefon:	+49 221 974552-0
Telefax:	+49 221 974552-30
E-Mail:	info@deffner-johann.de
Notrufnummer:	-49 9723 9350-0 (Mo. - Fr. 8:00 - 15:00 Uhr MEZ)

2. Hazards Identification

Classification/ Hazards characteristics: This product does not require labeling. 1272/2008, actual version

Additional safety information for humans and the environment: Risk of skin burns caused by hot melt.

3. Composition / Information on Ingredients

Substance/composition related information

Chemical characterization:	hydrocarbonwax of paraffinic structure
Component CAS-numbers:	64742-51-4
Component EINECS-numbers:	265-154-5
Hazard ingredients:	none
REACH-No.:	01-2119480133-46

4. First aid measures

General information:

Take away contaminated clothes.

In case of eye contact:

In case of contact with eyes, rinse immediately thoroughly with plenty of water.

In case of eye irritation consult an ophthalmologist.

Material Safety Data Sheet

Polarit® G 54-56

according to EC/1272/2008 (Amendment to REACH)

Version: 20/01 E-MF-DM date of last change: July 29, 2020 print date: July 29, 2020 page 2 / 5

In case of skin contact:

In case of contact with molten product, cool skin area rapidly with cold water.
Do not peel solidified product off the skin.

In case of inhalation:

Move affected person into fresh air, keep warm and allow to rest. In case of respiratory tract irritation, consult a physician.

In case of ingestion:

Rinse mouth thoroughly with water.

Information to physician:

No data available. Treat symptomatically

5. Firefighting measures

Suitable extinguishing media:

sand, foam, dry powder, carbon dioxide (CO₂)

Extinguishing media which must not be used for safety reasons:

water

Special exposure hazards arising from the substance or preparation itself, combustion products, resulting gases:

In case of fire may be liberated: Carbon dioxide, Nitro oxides (NO_x), soot and other organic products.

Special protective equipment for fire fighters:

In case of fire: Wear self-contained breathing apparatus.

Additional information:

Use water spray to protect personnel and to cool endangered containers.

6. Accidental Release measures

Personal precautions:

Wear breathing apparatus if exposed to vapor/dusts/aerosols.

Environmental precautions:

Do not allow into drains, water courses or soil.

Cleaning procedures:

Allow product to cool down and solidify. Collect in suitable containers for recycling or disposal. Please look disposal considerations.

7. Handling and Storage

Safe handling advice:

Avoid forming of wax vapor/fume. If this is not possible provide proper air ventilation; if necessary use suction plant.

Advice on protection against fire and explosion:

Steps against electrostatic charges should be provided. Product may only form ignitable compositions or burn, if heated up to temperatures higher than flashpoint.

Additionally information:

Requirements for storage areas and containers

Only use containers approved for the substance/product-group. Keep storage place cool and dry.

Material Safety Data Sheet

Polarit® G 54-56

according to EC/1272/2008 (Amendment to REACH)

Version: 20/01 E-MF-DM date of last change: July 29, 2020 print date: July 29, 2020 page 3 / 5

Hints for storage:

Materials to avoid: Strong oxidizing agents.

Further information on storage conditions: Keep in cool, well ventilated place.

Fire class: B

Storage class: 11 (burnable solids)

Typical applications: Observe technical data sheet.

8. Exposure controls / Personal protection

Components with workplace control parameters

National occupational exposure limit value: No data available

European occupational exposure limit value: No data available

Engineering measures: In case of thermal processing, provide for extraction of vapors or adequate ventilation.

PNEC-Values No data available

DNEL-Values No data available

Personal protective equipment

Respiratory protection:

Respiratory protection is necessary at aerosol or mist formation: use mask of filter types A2, A2/P2 or ABEK.

Hand protection:

Hand protection in accordance to other used chemicals. Preventive hand protection is recommended. The regular use of protective skin cream is recommended.

Eye protection:

Protection glasses with side protection.

Body protection:

If contact with hot product is possible, please wear heat resistant and flame retardant protective clothing.

Hygiene measures:

Usual precautions for proper handling of chemicals should be observed. After work, before meal breaks, clean wax soiled skin by water and emollient cleaning agent/soap. Avoid inhalation of wax fume.

9. Physical and Chemical Properties

Form: solid

Color: white to off-white

Odor: low typical

Important health, safety and environmental information

pH-value: not applicable

Drop point (DIN ISO 2176): 40 – 70 °C

Boiling temperature / -range: undetermined

Vapor pressure: undetermined

Density@20°C (DIN 53217): approx. 0,92 g/cm³

Material Safety Data Sheet

Polarit® G 54-56

according to EC/1272/2008 (Amendment to REACH)

Version: 20/01 E-MF-DM date of last change: July 29, 2020 print date: July 29, 2020 page 4 / 5

Solubility in Water :	insoluble/miscible with water/ low miscibility with water	
Viscosity@120°C (DIN 53019):	< 30	mPas
Flash point (DIN ISO 2592):	230	°C
Ignition temperature:	not available	
Self-ignition:	not determined / only above flash point	
Explosion hazard:	only as aerosol / dust	
Oxidizing properties:	unknown	
Vapor density:	undetermined	
Evaporation rate	undetermined	

10. Stability and reactivity

<i>Conditions to avoid:</i>	No hazardous reactions known
<i>Materials to avoid:</i>	Strong oxidizing agents
<i>Hazard decomposition products:</i>	No hazardous decompositions products known

11. Toxicological information

Non- human toxicological data

Acute oral toxicity:	LD50 (rat) > 5000 mg/kg
Acute dermal toxicity:	LD50 (rabbit) > 2000 mg/kg
Skin corrosion/irritation	Expected to be non-irritating to skin.
Serious eye damage/eye irritation	Expected to be non-irritating to eyes.
Respiratory or skin sensitisation	For respiratory and skin sensitization: Not expected to be a sensitiser.
Germ cell mutagenicity	Not expected to be a hazard
Carcinogenicity	Not expected to be a hazard
Reproductive toxicity	Not expected to be a hazard
STOT - single exposure	No data available
STOT - repeated exposure	No data available
Aspiration toxicity	No data available
Additional information:	Data obtained by analogy e.g. QSAR.

12. Ecological information

Ecotoxicity: No data available.

Behavior in environmental compartments:

Technically correct releases of minimal concentrations to adapted biological sewage plants will not disturb the biodegradability of activated sludge.

Further information: Do not allow uncontrolled discharge of product into the environment.

Material Safety Data Sheet

Polarit® G 54-56

according to EC/1272/2008 (Amendment to REACH)

Version: 20/01 E-MF-DM date of last change: July 29, 2020 print date: July 29, 2020 page 5 / 5

13. Disposal considerations

Product:

With respect to local regulations, e.g. dispose of into suitable waste incineration plant.

Waste designations in accordance with AVV

No waste key number as per the "European Waste types"-list can be assigned to this product, since such classification is based on the (as yet undetermined) use to which the product is put by the consumer.

The waste key number must be determined as per the "European Waste Types"-list (decision on EU Waste Types List 2000/532/EC) in cooperation with the disposal company / producing company / official authority.

Empty packages:

Non-contaminated packages may be recycled. Packing that cannot be properly cleaned must be disposed of.

14. TRANSPORT INFORMATION

UN-Number and Transport hazard class

Not regulated as a dangerous good (ADN, ADR, RID, IMDG, IATA)

15. REGULATORY INFORMATION

Labeling in accordance to EC-directive:

The product does not require a hazard warning label in accordance to 67/548/EWG and 1999/45/EC; as well as EC/1272/2008.

National regulation:

Please check local regulation and contact administration.

Water hazard class:

not water endangering; in accord. to AwSV, Annex 1

16. Other information

Recommended restrictions on use

Do not heat up to temperatures higher than flash point.

SVHC

The substances listed in (<http://echa.europa.eu/en/candidate-list-table>) are neither expected nor intentionally introduced during the manufacturing process. Our products do not have any contact to these substances during the manufacturing process. The fact that these substances are not intentionally introduced does not exclude that trace levels below 0,1 % may be unintentionally present or may be the result of specific characteristics of the raw material.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

With this latest version of the safety data sheet, all previous versions automatically lose their validity.
