

Produkte für DENKMALPFLEGE | RESTAURIERUNG | ART HANDLING – SEIT 1880.

# SICHERHEITSDATENBLATT

info@deffner-johann.de | +49 (0)9723 9350-0

Die in diesem Produktdatenblatt genannten Spezifikationen dienen nur zur Produktbeschreibung und beziehen sich auf den Zeitpunkt unmittelbar nach der Produktion bzw. Import des Produktes. Sie entsprechen den Angaben des Herstellers. Eine rechtsverbindliche Zusicherung bestimmter Eigenschaften oder der Eignung für einen bestimmten Einsatzzweck kann hieraus nicht abgeleitet werden. Durch unsachgemäßen Transport und / oder unsachgemäße Lagerung können sich Änderungen ergeben. Die Angaben in diesem Produktdatenblatt entbinden den Verarbeiter nicht von eigener Prüfung der Eigenschaften des Produktes und dessen Eignung für die vorgesehene Verwendung.

# deffner & Johann

# Safety Data Sheet according to Regulation (EC) No. 830/2015

Version: 9

Revision date: 24.09.2019

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# **1.1. Product identifier**

# **ARBOCEL PWC 500**

**Technical cellulose** 

CAS No.:9004-34-6EC No.:232-674-9INDEX No.:not relevantREACH No.:do not require registration

- 1.2. Relevant identified uses of the substance or mixture and uses advised against
  Relevant identified uses: The product is intended for professional use.
  Uses advised against: not relevant
- **1.3. Details of the supplier of the safety data sheet** Supplier (manufacturer/importer/only representative/downstream user/distributor)

Deffner & Johann GmbH Mühläckerstr. 13 D 97520 Röthlein Deutschland

**Telefon:** +49 9723 9350-0 **Telefax:** +499723 9350- 25

Ansprechpartner für Informationen Information

E-Mail : info@deffner-johann.de Webseite: www.deffner-johann.de

#### 1.4. Notrufnummer

**Telefon:** +49 9723 9350- 0 (Mo-Fr: 08:00-15:00)

#### **SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture not relevant

#### 2.2. Label elements

Classification according to Regulation (EC) No. 1272/2008 [CLP] not relevant

# 2.3. Other hazards

This material is combustible, but will not ignite readily. In case of fire may be liberated: Carbon monoxide. Carbon dioxide. Danger of dust explosion. Damage can be caused through mechanical influence of the product (e.g. sticking).

# **SECTION 3: Composition / information on ingredients**

#### 3.1. Substances

Cellulose CAS-No.: 9004-34-6 EC-No.: 232-674-9 Index-No.: not relevant

#### 3.2. Mixtures

Com	position/in	formation	on ingredie	ents				
	Substance:	EC-no.:	CAS-No.:	INDEX no.:	REACH-no.:	Concentration:	Classification: EC 1272/2008 (CLP):	
	not relevant	not relevant	not relevant	not relevant	not relevant	not relevant	not relevant	
Sub	Substance with a common (EC) occupational exposure limit value							
	Substance:	EC-no.:	CAS-No.:	INDEX no.:	REACH-no.:	Concentration:	Classification: EC 1272/2008 (CLP):	
	not relevant	not relevant	not relevant	not relevant	not relevant	not relevant	not relevant	
(Eull	text of H- ar	nd EUH-phr	2505. 500 5	rection 16				

(Full text of H- and EUH-phrases: see section 16.)

#### Additional information

The substance does not require registration according to REACH.

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

General information:	When in doubt or if symptoms are observed, get medical advice
Following inhalation:	Provide fresh air
Following skin contact:	not relevant
After eye contact:	Rinse immediately carefully and thoroughly with eye-bath or water
	In case of eye irritation consult an ophthalmologist
After ingestion:	not relevant

Self-protection of the first aider: not relevant

4.2. Most important symptoms and effects, both acute and delayed<br/>Symptoms:Symptoms:No known symptoms to dateNature of Hazard:not relevant

#### **4.3. Indication of any immediate medical attention and special treatment needed Notes for the doctor:** Treat symptomatically

**Special treatment:** Treat symptomatically

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

**Suitable extinguishing media:** Water. Carbon dioxide. Foam. Dry extinguishing powder. **Unsuitable extinguishing media:** High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide. Carbon dioxide.

#### 5.3. Advice for firefighters

#### **General information** Danger of dust explosion.

EN - 01.12.13



**ARBOCEL PWC 500** 

deffner & Johann

#### Special protective equipment for firefighters:

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Fire class A (Fires of solids, mainly organic nature, which normally burn down under glow forming).

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Avoid generation of dust.

For emergency responders: Wear breathing apparatus if exposed to vapours/dusts/aerosols. Avoid generation of dust. See protective measures under point 7 and 8.

#### 6.2. Environmental precautions

No special environmental measures are necessary.

#### 6.3. Methods and material for containment and cleaning up

Take up mechanically. Avoid generation of dust. Do not use a dry brush as dust clouds or static can be created.

#### 6.4. Reference to other sections

Disposal: see section 13. See protective measures under point 7 and 8.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

#### Advices on safe handling

If handled uncovered, arrangements with local exhaust ventilation should be used if possible. It is recommended to design all work processes always so that the following is excluded: Inhalation of dust/particles

#### Technical measures

Measures to prevent aerosol and dust generation: Provide adequate ventilation as well as local exhaustion at critical locations. Dust should be exhausted directly at the point of origin.

#### Precautions against fire and explosion

The product is: Combustible. Danger of dust explosion. Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Have fire-extinguishers in readiness before opening containers.

#### **Additional information**

Recommendations for handling:

- 210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- 240 Ground/bond container and receiving equipment.
- 241 Use explosion-proof electrical/ventilating/lighting equipment.
- 280 Wear protective gloves/protective clothing/eye protection/face protection.



# 7.2. Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions not relevant

# Packaging materials not relevant

Requirements for storage rooms and vessels not relevant

# Hints on joint storage

Storage class: 11 Combustible solids

#### Further information on storage conditions

Protect against: Humidity Storage temperature: not relevant Relative air humidity (%): not relevant Storage stability: at least 5 years Maximum storage period (time): not relevant

# 7.3. Specific end use(s)

not relevant

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

#### **Occupational exposure limit value**

Substance:	CAS-No.:	Source:	Long-term occupational exposure limit value:	Short-term occupational exposure limit value:	Remark:
Calcium carbonate	471-34-1	GESTIS	10 mg/m <sup>3</sup>	•	OEL AU
Calcium carbonate	471-34-1	GESTIS	10 mg/m <sup>3</sup> inhalable aerosol 4 mg/m <sup>3</sup> respirable aerosol		OEL GB
Calcium carbonate	471-34-1	GESTIS	10 mg/m <sup>3</sup> inhalable fraction 4 mg/m <sup>3</sup> respirable fraction		OEL IE
Calcium carbonate	471-34-1	GESTIS	10 mg/m <sup>3</sup>		OEL NZ
Calcium carbonate	471-34-1	GESTIS	15 mg/m <sup>3</sup> total dust 5 mg/m <sup>3</sup> respirable dust		OEL US - OSHA
Cellulose	9004-34-6	GESTIS	10 mg/m <sup>3</sup>		OEL AU
Cellulose	9004-34-6	GESTIS	10 mg/m <sup>3</sup>		OEL CA - Ontario
Cellulose	9004-34-6	GESTIS	10 mg/m <sup>3</sup> inhalable aerosol 4 mg/m <sup>3</sup> respirable aerosol		OEL GB
Cellulose	9004-34-6	GESTIS	10 mg/m <sup>3</sup> Inhalable fraction 4 mg/m <sup>3</sup> respirable fraction		OEL IE
Cellulose	9004-34-6	GESTIS	10 mg/m <sup>3</sup>		OEL NZ
Cellulose	9004-34-6	GESTIS	10 mg/m <sup>3</sup> total dust 5 mg/m <sup>3</sup> respirable aerosol		OEL US - NIOSH
Cellulose	9004-34-6	GESTIS	15 mg/m <sup>3</sup> total dust 5 mg/m <sup>3</sup> respirable dust		OEL US - OSHA

#### Substance with a common (EC) occupational exposure limit value

Substance:	CAS-No.:	Source:	Long-term occupational exposure limit value:	Short-term occupational exposure limit value:	Remark:
not relevant	not relevant	not relevant	not relevant	not relevant	not relevant



# **DNEL-/PNEC-values**

DNEL value				
Substance:	CAS-No.:	DNEL/DMEL	Worker	Consumer
Calcium carbonate	471-34-1	Inhalation long term (local effects, repeated dose)	6.36 mg/m³	1.06 mg/m³
Calcium carbonate	471-34-1	Oral long term (systemic effects)	not relevant	6.1 mg/kg bw/day
Calcium carbonate	471-34-1	Oral short term (systemic effects)	not relevant	6.1 mg/kg bw/day

# **PNEC Value**

Substance:	CAS-No.:	PNEC	Limit value	Remark	
Calcium carbonate	471-34-1	STP	100 mg/l	Assessment factor: 10	

#### Risk management measures according to used control banding approach not relevant

#### Additional information

not relevant

#### 8.2. Exposure controls

#### **Occupational exposure controls**

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.

#### General protection and hygiene measures

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500.

#### Personal protection equipment

Respiratory protection necessary at: Dust formation.

#### **Respiratory protection**

Suitable respiratory protection apparatus: Filtering Half-face mask (DIN EN 149) Half-face mask or quarter face piece: maximum use concentration for substances with exposure limits: P1 filter: up to a max. of 4 times the exposure limit. P2 filter: up to a max. of 10 times the exposure limit. P3 filter: up to a max. of 30 times the exposure limit. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used!

# Hand protection

Hand protection is not required

#### Eye/face protection

Dust protection eye glasses

# **Body protection**

Body protection: not applicable

#### **Environmental exposure controls**

See chapter 7. No additional measures necessary.

#### **Consumer exposure controls** not relevant

**Exposure Scenario** not relevant

Z015 deffner & Johann Revision date: 24.09.2019

Safety Data Sheet according to Regulation (EC) No. 830/2015 ARBOCEL PWC 500

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Appearance Physical state: Colour: Odour: Odour threshold:	Fiber off-white odourless not relevant			
Safety relevant basis data Parameter Density: Bulk density: pH: Melting point/freezing point: Initial boiling point and boiling	approx.	1.3 70 - 100 6.5 - 8.5	<b>Unit</b> g/cm <sup>3</sup> kg/m <sup>3</sup>	<b>Remark</b> not applicable not applicable
range: Flash point: Flammability (solid, gas): Explosivity: Lower explosion limit: Upper explosion limit: Ignition temperature: Decomposition temperature: Oxidizing potential: Vapour pressure: Vapour density: Evaporation rate: Water solubility: Fat solubility: Soluble in: Partition coefficient: n-octanol/water:	approx.	30 11 000 200	g/m³ g/m³ °C	not determined not relevant Dust explosive not determined not oxidizing not applicable not applicable insoluble insoluble not relevant not applicable
n-octanol/water: Viscosity: Solvent separation test: Solvent content:				not applicable not applicable not applicable not relevant

# 9.2. Other information

Dust explosion category: St 1 Minimum ignition energy in mJ: > 30 Minimum ignition temperature of a dust cloud (C°):  $\ge$  400 Flammability and burning behaviour of dust layers: combustion rate (BZ) 5 Minimum ignition temperature of a 5 mm dust layer (glowing temperature):  $\ge$  330 °C Maximum explosion pressure in bar:  $\le$  9.5 KSt-value in bar m s-1:  $\le$  200

The product has not been tested. The statement is derived from products of similar composition.

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

not relevant

#### 10.2. Chemical stability

not relevant



#### 10.3. Possibility of hazardous reactions

not relevant

#### 10.4. Conditions to avoid

Decomposition takes place from temperatures above: approx. 200 °C

#### 10.5. Incompatible materials

not relevant

#### 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide. Carbon dioxide

#### Additional information

not relevant

### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

not relevant

#### Acute toxicity

Addie toxioity		
Substance:	CAS-No.:	Toxicological information
not relevant	not relevant	not relevant

Specific symptoms in laboratory animals not relevant

Irritation and etching Irritant effect on the skin Not an irritant Irritant effect on the eye Not an irritant Irritant effect on the respiratory tract Not an irritant Caustic effect not corrosive

Sensitization not sensitising

Repeated dose toxicity (subacute, subchronic, chronic) not relevant

#### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction) Carcinogenicity not relevant

Germ cell mutagenicity not relevant Reproductive toxicity not relevant

#### **General remarks**

Damage can be caused through mechanical influence of the product (e.g. sticking).

#### Practical experience/human evidence

not relevant



Other observations

not relevant

Other information not relevant

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

not relevant

#### Eco toxicity

Substance:	CAS-No.:	Eco toxicity
not relevant	not relevant	not relevant

### 12.2. Persistence and degradability

not persistent

#### 12.3. Bio accumulative potential

No indication of bioaccumulation potential

#### 12.4. Mobility in soil

not relevant

#### 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII

#### 12.6. Other adverse effects

not relevant

#### Further ecological information

According to the present state of knowledge negative ecological effects are not expected.

#### **Further details**

not relevant

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### Appropriate disposal/Product

Dispose of waste according to applicable legislation.

#### Appropriate disposal / Package

Completely emptied packing can be recycled.

#### List of proposed waste codes/waste designations in accordance with EWC

Waste code product:	03 03 99 - wastes not otherwise specified
Waste code packaging:	15 01 06 - mixed packaging

#### Remark

The allocation of waste identity numbers/waste descriptions must be carried out according to the EWC, specific to the industry and process.



# **SECTION 14: Transport information**

#### 14.1. UN number

not relevant

14.2. UN proper shipping name

not relevant

14.3. Transport hazard class(es)

not relevant

# 14.4. Packing group

not relevant

# 14.5. Environmental hazards

not relevant

# 14.6. Special precautions for user

Land transport (ADR/RID)

Remark: No dangerous good in sense of this transport regulation

#### Sea transport (IMDG)

Remark: No dangerous good in sense of this transport regulation

# Air transport (ICAO-TI / IATA-DGR)

Remark: No dangerous good in sense of this transport regulation

# 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Remark: not relevant

# **SECTION 15: Regulatory information**

Labeling Hazardous component(s) for labelling not relevant

Special labelling of particular preparations not relevant

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Information according to 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline)

not relevant

Regulation (EC) No. 2037/2000 concerning materials, which cause damage to the ozone layer not relevant

Regulation (EC) No. 648/2004 (Detergents regulation) not relevant

#### National regulations

Observe in addition any national regulations!

**Restrictions of occupation** 

not relevant EN - 01.12.13



#### Storage class

11 Combustible solids

#### Water hazard class (WGK)

non-hazardous to water (nwg)

# Other regulations, restrictions and prohibition regulations not relevant

#### **15.2. Chemical Safety Assessment**

For this substance a chemical safety assessment has not been carried out.

# **SECTION 16: Other information**

# Relevant H- and EUH-phrases (Number and full text)

not relevant

#### Training advice

not relevant

#### **Recommended restrictions of use**

not relevant

#### **Further remarks**

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge.

The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal.

The information cannot be transferred to other products.

In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

#### **Documentation of changes**

Data changed compared with the previous version

#### Key literature references and sources for data

Data arise from reference works and literature GESTIS- substances data base Regulation (EC) 1272/2008 (CLP)

#### Abbreviations and acronyms

EWC = European Waste Catalogue