

## SAFETY DATA SHEET

2302100 | Skonsam Thinner 222

[info@deffner-johann.de](mailto:info@deffner-johann.de) | +49 (0)9723 9350-0

Die in diesem Produktdatenblatt genannten Spezifikationen dienen nur zur Produktbeschreibung und beziehen sich auf den Zeitpunkt unmittelbar nach der Produktion bzw. Import des Produktes. Sie entsprechen den Angaben des Herstellers. Eine rechtsverbindliche Zusicherung bestimmter Eigenschaften oder der Eignung für einen bestimmten Einsatzzweck kann hieraus nicht abgeleitet werden. Durch unsachgemäßen Transport und / oder unsachgemäße Lagerung können sich Änderungen ergeben. Die Angaben in diesem Produktdatenblatt entbinden den Verarbeiter nicht von eigener Prüfung der Eigenschaften des Produktes und dessen Eignung für die vorgesehene Verwendung.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Thinner 222

Revision date: 25.08.2020

Page 1 of 7

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Thinner 222

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.3. Details of the supplier of the safety data sheet

Company name: Deffner & Johann GmbH  
Street: Mühlackerstr. 13  
Place: DE 97520 Röthlein  
Telephone: +49 9723 9350-0  
e-mail: info@deffner-johann.de  
Internet: www.deffner-johann.de

#### 1.4. Emergency telephone number:

+49 9723 9350-0

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Regulation (EC) No. 1272/2008

Hazard categories:

Aspiration hazard: Asp. Tox. 1

Hazard Statements:

May be fatal if swallowed and enters airways.

#### 2.2. Label elements

##### Regulation (EC) No. 1272/2008

##### Hazard components for labelling

isoalkane

Signal word: Danger

Pictograms:



##### Hazard statements

H304 May be fatal if swallowed and enters airways.

##### Precautionary statements

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents/container to an appropriate recycling or disposal facility.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Thinner 222

Revision date: 25.08.2020

Page 2 of 7

### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
64742-48-9	isoalkane			100 %
	918-481-9		01-2119457273-39	
	Asp. Tox. 1; H304 EUH066			

Full text of H and EUH statements: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

When in doubt or if symptoms are observed, get medical advice.  
Never give anything by mouth to an unconscious person or a person with cramps.  
If unconscious place in recovery position and seek medical advice.

#### After inhalation

Remove casualty to fresh air and keep warm and at rest.  
If breathing is irregular or stopped, administer artificial respiration.

#### After contact with skin

Immediately remove any contaminated clothing, shoes or stockings.  
After contact with skin, wash immediately with plenty of water and soap.  
Do not wash with: Solvents/Thinner

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Remove contact lenses, if present and easy to do. Continue rinsing.  
Seek medical advice immediately.

#### After ingestion

If swallowed, rinse mouth with water (only if the person is conscious).  
Call a physician immediately.  
Put victim at rest, cover with a blanket and keep warm.  
Do NOT induce vomiting.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

alcohol resistant foam, Carbon dioxide (CO<sub>2</sub>), Extinguishing powder, Water mist

#### Unsuitable extinguishing media

Full water jet

### 5.2. Special hazards arising from the substance or mixture

Burning produces heavy smoke.  
Hazardous decomposition products: carbon black. Danger of serious damage to health by prolonged exposure.  
Use appropriate respiratory protection.

### 5.3. Advice for firefighters

Use water spray jet to protect personnel and to cool endangered containers.  
Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Thinner 222

Revision date: 25.08.2020

Page 3 of 7

### **6.1. Personal precautions, protective equipment and emergency procedures**

Keep away from sources of ignition - No smoking. Ventilate affected area.  
Avoid breathing dust/fume/gas/mist/vapours/spray.  
See protective measures under point 7 and 8.

### **6.2. Environmental precautions**

Do not allow to enter into surface water or drains.  
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### **6.3. Methods and material for containment and cleaning up**

Prevent spread over a wide area (e.g. by containment or oil barriers). Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).  
Collect in closed and suitable containers for disposal. Disposal: see section 13  
Clean with detergents. Avoid solvent cleaners.

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

#### **Advice on safe handling**

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop. Only use the material in places where open light, fire and other flammable sources can be kept away.  
Use explosion-proof electrical equipment. Filling and transfer: Take precautionary measures against static discharges. Provide earthing of containers, equipment, pumps and ventilation facilities. Wear anti-static footwear and clothing Use only antistatically equipped (spark-free) tools.

Avoid contact with skin, eyes and clothes. Avoid: Inhalation of vapours or spray/mists, Inhalation of dust/particles. When using do not eat, drink or smoke.

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

Never use pressure to empty container. Keep/Store only in original container.

Do not allow to enter into surface water or drains.

#### **Advice on protection against fire and explosion**

Solvent - Vapours are heavier than air, spread along floors and form explosive mixtures with air.

### **7.2. Conditions for safe storage, including any incompatibilities**

#### **Requirements for storage rooms and vessels**

Store in accordance with:

#### **Hints on joint storage**

Do not store together with: Oxidising agent, Strong acid, Strong alkali

#### **Further information on storage conditions**

Notice the directions for use on the label.  
storage temperature of °C 5 up to °C 30.

Keep container tightly closed in a cool, well-ventilated place. Protect from sunlight. Keep away from sources of ignition - No smoking. Store in a place accessible by authorized persons only. Always close containers tightly after the removal of product.

## **SECTION 8: Exposure controls/personal protection**

### **8.1. Control parameters**

### **8.2. Exposure controls**

#### **Appropriate engineering controls**

Provide adequate ventilation.

If handled uncovered, arrangements with local exhaust ventilation should be used if possible.

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Thinner 222

Revision date: 25.08.2020

Page 4 of 7

worn.

### Eye/face protection

Wear eye/face protection.

### Hand protection

Wear suitable gloves. Replace when worn. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. See information supplied by the manufacturer.

Suitable material: Nitrilkautschuk Breakthrough time (maximum wearing time):  $\geq 8$  h min.

Use protective skin cream before handling the product.

### Skin protection

Wear anti-static footwear and clothing (Natural fibres (e.g. cotton) / heat-resistant synthetic fibres)

### Respiratory protection

Respiratory protection necessary at: exceeding exposure limit values.

Use suitable breathing apparatus.

### Environmental exposure controls

Do not allow to enter into surface water or drains.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	flytande
Colour:	färglös
Odour:	mild

#### Test method

#### Changes in the physical state

Initial boiling point and boiling range:	> 180 °C
Flash point:	> 61 °C DIN 53213
Lower explosion limits:	0,6 vol. %
Upper explosion limits:	7 vol. %
Vapour pressure: (at 20 °C)	< 1 hPa
Vapour pressure: (at 50 °C)	4 hPa
Density (at 20 °C):	0,78 g/cm <sup>3</sup> DIN 53217
Viscosity / kinematic: (at 40 °C)	< 7 mm <sup>2</sup> /s

### 9.2. Other information

Aromatengehalt max. 200 ppm

Benzolgehalt < 5 ppm

## SECTION 10: Stability and reactivity

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

Exothermic reaction with: Oxidising agent, Strong acid, Strong alkali

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Thinner 222

Revision date: 25.08.2020

Page 5 of 7

### 10.4. Conditions to avoid

In case of warming: Formation of: Hazardous decomposition products

### 10.6. Hazardous decomposition products

Nitrogen oxides (NOx), carbon black, Carbon dioxide (CO<sub>2</sub>), Carbon monoxide

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Toxicokinetics, metabolism and distribution

Aspirationsrisk

#### Aspiration hazard

Aspirationsrisk

#### Practical experience

#### Observations relevant to classification

Following inhalation:

Potential hazards: May cause respiratory irritation. May cause damage to liver if inhaled. May cause damage to kidneys if inhaled. Depression of central nervous system.

Symptoms: Headache, Dizziness, Drowsiness, Unconsciousness

After eye contact:

Irritating to eyes. (reversible.)

After ingestion:

Symptoms: Nausea, Vomiting, Gastrointestinal complaints

Following skin contact:

The product is skin resorptive. Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation).

#### Further information

There are no data available on the mixture itself.

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

Reference to other sections: 2, 3

## SECTION 12: Ecological information

### Further information

There are no data available on the mixture itself.

Do not allow to enter into surface water or drains.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations

Do not allow to enter into surface water or drains.

Dispose according to legislation.

#### List of Wastes Code - residues/unused products

070704 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals and chemical products not otherwise specified; other organic solvents, washing liquids and mother liquors; hazardous waste

#### List of Wastes Code - used product

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Thinner 222

Revision date: 25.08.2020

Page 6 of 7

070704 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fine chemicals and chemical products not otherwise specified; other organic solvents, washing liquids and mother liquors; hazardous waste

### Contaminated packaging

Completely emptied packages can be recycled.  
Dispose according to legislation.

## SECTION 14: Transport information

### Land transport (ADR/RID)

**14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

### Inland waterways transport (ADN)

**14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

### Marine transport (IMDG)

**14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** No dangerous good in sense of this transport regulation.  
**14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.  
**14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.  
**14.4. Packing group:** No dangerous good in sense of this transport regulation.

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII):  
Entry 28: isoalkane

#### National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

#### Additional information

Observe in addition any national regulations!

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## Thinner 222

Revision date: 25.08.2020

Page 7 of 7

### SECTION 16: Other information

#### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Asp. Tox. 1; H304	Calculation method

#### Relevant H and EUH statements (number and full text)

H304                      May be fatal if swallowed and enters airways.  
EUH066                  Repeated exposure may cause skin dryness or cracking.

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*