

info@deffner-johann.de | +49 9723 9350-0

Die in diesem Produktdatenblatt genannten Spezifikationen dienen nur zur Produktbeschreibung und beziehen sich auf den Zeitpunkt unmittelbar nach der Produktion bzw. Import des Produktes. Sie entsprechen den Angaben des Herstellers. Eine rechtsverbindliche Zusicherung bestimmter Eigenschaften oder der Eignung für einen bestimmten Einsatzzweck kann hieraus nicht abgeleitet werden. Durch unsachgemäßen Transport und / oder unsachgemäße Lagerung können sich Änderungen ergeben. Die Angaben in diesem Produktdatenblatt entbinden den Verarbeiter nicht von eigener Prüfung der Eigenschaften des Produktes und dessen Eignung für die vorgesehene Verwendung.



MICHAEL HARDING ARTIST OIL COLORS

COLORS CONTAINING COBALT

HAR1600 June 1, 2015 Page 1 of 6

1. Identification of the Preparation and of The Company

MICHAEL HARDING ARTIST OIL COLORS - COLORS CONTAINING COBALT Product Name and/or code:

Effective Date: 1-Jun-15

Manufacturer: Michael Harding Art Materials Ltd.

36 Springdale Industrial Estate

Cwmbran, Gwent NP44 -5BD, Wales

North America: 978-549-4029 Information Contact:

UK/Europe: 44 (0) 1633 - 484-700

Emergency Contact: Contact your local Poison Control Center

Product Use: **ART MATERIAL - Consumer Product**

2. Hazards Identification

Information pertaining to particular dangers

for man and environment.

This product has been classified as dangerous according to OSHA Hazard

Communication Standard (29 CFR 1910.1200)

Emergency Overview

CAUTION! MAY BE HARMFUL IF SWALLOWED. Cancer hazard: Contains cobalt which may cause cancer by ingestion and inhalation of fumes and dust. Prolonged or repeated skin contact may cause irritation and dermatitis. KEEP OUT OF REACH OF CHILDREN.

Label Elements Conforms to ASTM D-4236

Pictograms





GHS 08 GHS 07

CAUTION! Signal Word

Hazard Statement CAUTION! MAY BE HARMFUL IF SWALLOWED. Cancer hazard: Contains

> cobalt which may cause cancer by ingestion and inhalation of fumes and dust. Do not spray apply. Prolonged or repeated skin contact may cause

irritation and dermatitis.

Precaution Statement Do not eat. Wash hands and face before eating or smoking. Ensure fresh

air entry during application and drying. Avoid dust or prolonged or

repeated skin contact.

Children's Statement KEEP OUT OF REACH OF CHILDREN.

Classification of the Product:

NFPA Health 2 -Warning. Maybe harmful if inhaled or swallowed.

Flammability 1 - Combustible if heated

Reactivity 0 - Stable

Health 2-Moderate Hazard **HMIS**

Flammability 1 -Slight Hazard

Physical Hazard 0 - Minimal Hazard

Regulation (EC) No. 1272/2008 Cobalt compounds are classified in the Annex I of the regulation. Some

entries aren't classified.

Export and Import of Dangerous Chemicals

Regulation (EC)No. 649/2012

This product and its ingredients are listed in the Annex I of the regulation.



MICHAEL HARDING ARTIST OIL COLORS

COLORS CONTAINING COBALT

HAR1600 June 1, 2015 Page 2 of 6

Directive 67/548/EEC & Directive 1999/45/EC Cobalt compounds, major components of these products are classified as

follows:

Cobalt (II) phosphate (CAS: 13455-36-2) GHS07 - Acute Tox. 4 H302, Skin Irrit. 2 H315, Eye Irrt.2A H319, STOT SE 3 H335; P261, P280, P305 + P351 +

P338, P304 + P340, P405, P501

Cobalt aluminum oxide (CAS: 1333-88-6) ----30.00-60.00% GHS08, GHS07 -Skin Irrit. 2 H315, Eye Irrt.2A H319, Skin Sens. 1 H317, Carc. 2 H351,STOT

SE 3 H335; P201, P202, P261, P264, P271, P272, P280, P302+P352, P304+P340, P305+P351+P338, P308+P313, P321, P333+P313, P362,

P403+P233, P405, P501.

Other cobalt compounds present in the formulation are not classified.

3. Composition/Information on Ingredients:

Substances:

The various products listed under Section 16 contain non- hazardous natural drying oils, organic and inorganic pigments, additives.

Cobalt chromite blue - green spinel (CAS: 68187-11-1) --30.00-60.00%

Cobalt compounds: Cobalt (II) phosphate (CAS: 13455-36-2) ----30.00 - 60.00%-

Cobalt aluminum oxide (CAS: 1333-88-6) ----30.00-60.00%

Risk and Safety Phrases:

Ingredients are marked according to CLP Regulation (CLP-Regulation (EC) No 1272/2008) and according to DSD (Dangerous Substances Directive (67/548/EEC)) and DPD (Dangerous Preparations Directive (1999/45/EC)) and no workplace-related occupational exposure limits are specified for any of the listed ingredients. These ingredients are regarded as trade secrets.

4. First Aid Measures		
Inhalation	Supply fresh air. If required, provide artificial respiration. Consult with a doctor, physician or qualified health professional if symptoms persist. In case of unconsciousness place patient securely in side position for transportation (if needed).	
Skin Contact	Remove any contaminated clothing. Wash affected area immediately with water and soap and rinse thoroughly.	
Eye Contact	Flush area with water, lifting the upper and lower lids until no evidence of product remains. Get medical attention. Do not wear contact lenses while handling.	
Ingestion	Drink water or milk to dilute. Do not induce vomiting. Contact a physician.	

5. Firefighting Measures		
Extinguishing Media	Water, foam, carbon dioxide or dry chemical equipment.	
Fire/Explosion Hazards	This product is not known to present any fire hazard.	
Flashpoint/Flammability	This product is not known to be combustible, but as a precaution keep product in cool place.	
6. Accidental Release Measures		

Environmental precautions

No product should be released to the environment without due care.



SAFETY DATA SHEET MICHAEL HARDING ARTIST OIL COLORS

HAR1600 June 1, 2015 Page 3 of 6

COLORS CONTAINING COBALT

Cleaning up

Methods and Materials for Containment and Contain spill. Recover as much as possible with sand, soil or similar product. Place into closed container and store in a safe location to await disposal. Wash the spill area with soap and water.

7. Handling and Storage

Safe Handling Use under ventilated conditions. Avoid eye contact. For personal

> protection, we recommend that employees wash thoroughly after handling product. Always wash before eating, smoking or using toilet

facilities. Keep container closed when not in use.

Storage Keep the sample in a cool dry ventilated area. Keep away from fire and

heating sources.

8. Exposure Controls/Personal Protection

Personal Protective Equipment Wear safety goggles and protective gloves to avoid dust contact.

Exposure Limits Not applicable to this mixture. (Do not spray apply product)

Wear approved NIOSH/MSHA respirator if exposure to mist or vapor Respiratory and Ventilation

> exceed applicable PEL/TLV limits. Use in accordance with manufacturer's use limitations and OSHA STANDARD 1910-34. Local ventilation may be

used to prevent routine inhalation.

Skin Protection Handle with non-porous nitrile gloves. Use proper glove removal

> technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of EU

Directive 89/686/EEC and the standard EN 374 derived from it.

Full Contact Material: Nitrile rubber

Data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-

mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves.

This recommendation is advisory only and must be evaluated by an Industrial Hygienist familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for

any specific use scenario.

Eye Protection Safety glasses conforming to EN166 Use equipment for eye protection

tested and approved under appropriate government standards such as

NIOSH (US) or EN 166(EU).

9. Physical and Chemical Properties

Viscous colored oil paints Appearance

Solid - Paste **Physical State**

See product list in Section 16 Color

Odor Slightly aromatic.

Boiling Point Greater than 100°C/212°FGreater than 100°C/212°FGreater than 100°C/

Freezing Point Not applicable



MICHAEL HARDING ARTIST OIL COLORS

COLORS CONTAINING COBALT

HAR1600 June 1, 2015 Page 4 of 6

 State (pH)
 8.5 - 9.2

 Specific Gravity
 1.0 - 2.0

Viscosity Not determined (Viscous material)

Flashpoint Greater than 230°C/ 446°F

Vapor Pressure Not applicable
Vapor Density Not applicable
Solubility in water Not miscible

10. Stability and Reactivity

Reactivity: Reaction with strong oxidizing agents.

Chemical Stability Stable

Conditions to Avoid Keep away from heat, sparks and flame. Avoid contact with strong

oxidizing agents.

Incompatible materials Combustible material (eg. Cotton)

Hazardous Decomposition Products

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors.

11. Toxicological Information

Health Effects Studies have not been performed on this particular mixture. The

information below is based on data on the individual ingredients.

Oral Expected to be greater than 2,000 mg/kg (rats)

Ingestion Nausea, vomiting and abdominal pain.
Inhalation This product poses no inhalation risk.

Dermal Not a skin sensitizer. Eye Effects May cause irritation

12. Ecological Information

Toxicity: Very toxic to aquatic organisms. Aquatic toxicity Very toxic to aquatic organisms.

Persistence and degradability A mixture of biodegradable and non biodegrable ingredients. No other

information is available.

Bio accumulative potential Not expected to bioaccumulate significantly.

Mobility in soil The product has poor water-solubility.

Additional ecological information No information available.

13. Disposal Considerations

Waste is classified as hazardous waste. Disposal to licensed waste disposal site in accordance with the local Waste Disposal Authority. Contact specialist disposal companies. Dispose of waste and residues in accordance with local authority requirements. Recover and reclaim or recycle, if practical.

14. Transport Information

The following transportation categories do not apply to this mixture sold as a consumer use product (non-bulk).

DOT Non-Bulk

Not applicable	
Not applicable	



SAFETY DATA SHEET MICHAEL HARDING ARTIST OIL COLORS COLORS CONTAINING COBALT

HAR1600 June 1, 2015 Page 5 of 6

IMDG

Shipping Name Not applicable
Technical Shipping Name Not applicable
Hazard Class Not applicable
UN Number Not applicable
Packing Group Not applicable
EmS Number Not applicable
Marine Pollutant Not applicable

ICAO/IATA

Shipping Name Not applicable
Technical Shipping Name Not applicable
Hazard Class Not applicable
UN Number Not applicable
Packing Group Not applicable
Marine Pollutant Not applicable

Michael Harding Art Materials Ltd. are IATA certified through the UK CAA.

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the materials.

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture.

SARA Not applicable Section 355 (extremely hazardous Not applicable

substances)

Section 313 (Specific toxic chemical listing) Not applicable

TSCA (Toxic Substance Control Act)

All ingredients are listed.

The Safe Drinking Water and Toxic As of June 1, 2015 this product contains chemicals known to the State of

Enforcement Act of 1986 - California California to cause cancer.

Proposition 65

Chemicals known to cause cancer Cobalt compounds

Chemicals known to cause reproductive None of the ingredients are listed as of 6/1/15.

toxicity for females

Chemicals known to cause reproductive None of the ingredients are listed as of 6/1/15.

toxicity for males

Chemicals known to cause developmental None of the ingredients are listed as of 6/1/15.

toxicity

Carcinogenicity categories

EPA (Environmental Protection Agency)

Not applicable to this mixture.

TLV (Threshold Limit Value established by

Not applicable to this mixture.

ACGIH)

MAK (German Maximum Workplace Not applicable to this mixture.

Concentration)



SAFETY DATA SHEET MICHAEL HARDING ARTIST OIL COLORS COLORS CONTAINING COBALT

HAR1600 June 1, 2015 Page 6 of 6

NOISH-Ca (National Institute for Occupational Not applicable to this mixture. Safety & Health)

OSHA-Ca (Occupational Safety & Health Not applicable to this mixture.

16. Other Information

Product Number and Color Name	Pigment Identification
501 Aureolin	PY 40 Cobalt Potassium Nitrate
506 Cobalt Blue	PB 28 Oxides of Cobalt & Aluminium
507 Cobalt Turquoise Deep	PB 36 Oxides of Cobalt & Aluminium
508 Cobalt Green Deep	PG 19 Oxides of Cobalt & Zinc
513 Cobalt Teal	PG 50
601 Cobalt Violet Light	PV 14 Cobalt Phosphate
602 Cobalt Violet Dark	PV 14 Cobalt Phosphate
603 Cerulean Blue	PB 36 Cobalt Stannate & Oxides of Tin

Supersedes MSDS New SDS
Reason for Issue: GHS Format

Prepared by: Rudolph J. Jaeger, Ph.D., DABT, ERT (UK)

Chief Toxicologist and President ENVIRONMENTAL MEDICINE, INC.

263 CENTER AVENUE WESTWOOD, NJ 07675 jaegerr@envmed.com 201-666-7929 x13

The information contained in this Safety Data Sheet was compiled using the latest and most reliable information available to Michael Harding Art Materials, Ltd. The information is provided without any warranty, express or implied regarding its correctness or accuracy nor will Michael Harding Art Materials Ltd. assume any liability for any loss or damage arising out of the use of this information including without limitation direct or indirect losses or expenses. To the extent permitted by law, no warranty express or implied regarding the product described herein shall be created by or inferred from any state or omission for this SDS. It is solely the responsibility of the user to determine safe conditions for use of this product and to assume liability for any loss, damage or expense whatsoever arising out of the product's improper use.